

Package ‘RareComb’

October 12, 2022

Title Combinatorial and Statistical Analyses of Rare Events

Version 1.1

Description A custom implementation of the apriori algorithm and binomial tests to identify combinations of features (genes, variants etc) significantly enriched for simultaneous mutations/events from sparse Boolean input, see Vijay Kumar Pounraja, Santhosh Girirajan (2021). Version 1.1 includes a minor adjustment to the number of combinations to be considered for multiple testing correction. This updated version is more conservative in its approach and hence more selective. <[doi:10.1101/2021.10.01.462832](https://doi.org/10.1101/2021.10.01.462832)>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 2.10)

Imports magrittr, arules, dplyr, methods, pwr, stringr, tidyr,
reshape2, sqldf

RoxygenNote 7.1.1

NeedsCompilation no

Author Vijay Kumar Pounraja [aut, cre]
(<<https://orcid.org/0000-0002-9710-189X>>)

Maintainer Vijay Kumar Pounraja <vijaykumar.mp@gmail.com>

Repository CRAN

Date/Publication 2022-02-24 01:00:02 UTC

R topics documented:

analyze_in_out_simultaneity	2
boolean_input_df	3
boolean_input_mult_df	17
compare_enrichment	31
compare_enrichment_depletion	32
compare_enrichment_modifiers	34
compare_expected_vs_observed	35

custom_left_join	36
input_list	37
run_apriori_freqitems	37
run_apriori_rules	38
run_apriori_rules_inout_simult	39
run_apriori_rules_modifiers	40
run_apriori_w_sample_names	41

Index	43
--------------	-----------

analyze_in_out_simultaneity
Analyze relationships between rare events among multiple input and output variables

Description

This function takes a Boolean dataframe as input and analyzes the relationship between input and output variables for the combinations that include at least a single output variable and meet all the input criteria specified by the user.

Usage

```
analyze_in_out_simultaneity(boolean_input_mult_df, combo_length, min_output_count,
                             max_output_count, min_indv_threshold, max_freq_threshold,
                             input_format, output_format, pval_filter_threshold,
                             adj_pval_type)
```

Arguments

boolean_input_mult_df	An input Boolean dataframe with multiple input and outcome variables
combo_length	The length of the combinations specified by the user
min_output_count	Minimum number of output variables present in the combination
max_output_count	Maximum number of output variables present in the combination
min_indv_threshold	Minimum number of instances that support the combination
max_freq_threshold	Maximum fraction of the cohort size that could support a combination (i.e., filter out highly frequent events)
input_format	Optional Naming convention used for input variables (Default = 'Input_')
output_format	Optional Naming convention used for output variables (Default = 'Output_')
pval_filter_threshold	Optional p-value cut-off to use to identify significant combinations (Default = 0.05)

adj_pval_type Optional | Type of multiple testing corrections to use (Default = 'BH'; Alternative option = 'bonferroni')

Value

A dataframe with the list of multiple-testing adjusted statistically significant combinations along with quantitative measures (frequencies, p-values etc) that support the findings.

Author(s)

Vijay Kumar Pounraja

Examples

```
analyze_in_out_simultaneity(boolean_input_mult_df, 3, 1, 2, 5, 0.25,
                             input_format = 'Input_', output_format = 'Output_',
                             pval_filter_threshold = 0.05, adj_pval_type = 'BH')
```

boolean_input_df	<i>Sparse Boolean dataframe with rare variant information and a single outcome variable</i>
------------------	---

Description

A synthetic dataset containing information about 5000 individuals (rows) and 1000 rare variants (columns).

Usage

```
boolean_input_df
```

Format

A data frame with 5000 rows and 1002 variables:

Sample_Name Unique identifier of the samples

Input_1 Presence and absence of rare variant 1

Input_2 Presence and absence of rare variant 2

Input_3 Presence and absence of rare variant 3

Input_4 Presence and absence of rare variant 4

Input_5 Presence and absence of rare variant 5

Input_6 Presence and absence of rare variant 6

Input_7 Presence and absence of rare variant 7

Input_8 Presence and absence of rare variant 8

Input_9 Presence and absense of rare variant 9
Input_10 Presence and absense of rare variant 10
Input_11 Presence and absense of rare variant 11
Input_12 Presence and absense of rare variant 12
Input_13 Presence and absense of rare variant 13
Input_14 Presence and absense of rare variant 14
Input_15 Presence and absense of rare variant 15
Input_16 Presence and absense of rare variant 16
Input_17 Presence and absense of rare variant 17
Input_18 Presence and absense of rare variant 18
Input_19 Presence and absense of rare variant 19
Input_20 Presence and absense of rare variant 20
Input_21 Presence and absense of rare variant 21
Input_22 Presence and absense of rare variant 22
Input_23 Presence and absense of rare variant 23
Input_24 Presence and absense of rare variant 24
Input_25 Presence and absense of rare variant 25
Input_26 Presence and absense of rare variant 26
Input_27 Presence and absense of rare variant 27
Input_28 Presence and absense of rare variant 28
Input_29 Presence and absense of rare variant 29
Input_30 Presence and absense of rare variant 30
Input_31 Presence and absense of rare variant 31
Input_32 Presence and absense of rare variant 32
Input_33 Presence and absense of rare variant 33
Input_34 Presence and absense of rare variant 34
Input_35 Presence and absense of rare variant 35
Input_36 Presence and absense of rare variant 36
Input_37 Presence and absense of rare variant 37
Input_38 Presence and absense of rare variant 38
Input_39 Presence and absense of rare variant 39
Input_40 Presence and absense of rare variant 40
Input_41 Presence and absense of rare variant 41
Input_42 Presence and absense of rare variant 42
Input_43 Presence and absense of rare variant 43
Input_44 Presence and absense of rare variant 44
Input_45 Presence and absense of rare variant 45

Input_46	Presence and absense of rare variant	46
Input_47	Presence and absense of rare variant	47
Input_48	Presence and absense of rare variant	48
Input_49	Presence and absense of rare variant	49
Input_50	Presence and absense of rare variant	50
Input_51	Presence and absense of rare variant	51
Input_52	Presence and absense of rare variant	52
Input_53	Presence and absense of rare variant	53
Input_54	Presence and absense of rare variant	54
Input_55	Presence and absense of rare variant	55
Input_56	Presence and absense of rare variant	56
Input_57	Presence and absense of rare variant	57
Input_58	Presence and absense of rare variant	58
Input_59	Presence and absense of rare variant	59
Input_60	Presence and absense of rare variant	60
Input_61	Presence and absense of rare variant	61
Input_62	Presence and absense of rare variant	62
Input_63	Presence and absense of rare variant	63
Input_64	Presence and absense of rare variant	64
Input_65	Presence and absense of rare variant	65
Input_66	Presence and absense of rare variant	66
Input_67	Presence and absense of rare variant	67
Input_68	Presence and absense of rare variant	68
Input_69	Presence and absense of rare variant	69
Input_70	Presence and absense of rare variant	70
Input_71	Presence and absense of rare variant	71
Input_72	Presence and absense of rare variant	72
Input_73	Presence and absense of rare variant	73
Input_74	Presence and absense of rare variant	74
Input_75	Presence and absense of rare variant	75
Input_76	Presence and absense of rare variant	76
Input_77	Presence and absense of rare variant	77
Input_78	Presence and absense of rare variant	78
Input_79	Presence and absense of rare variant	79
Input_80	Presence and absense of rare variant	80
Input_81	Presence and absense of rare variant	81
Input_82	Presence and absense of rare variant	82

Input_83 Presence and absense of rare variant 83
Input_84 Presence and absense of rare variant 84
Input_85 Presence and absense of rare variant 85
Input_86 Presence and absense of rare variant 86
Input_87 Presence and absense of rare variant 87
Input_88 Presence and absense of rare variant 88
Input_89 Presence and absense of rare variant 89
Input_90 Presence and absense of rare variant 90
Input_91 Presence and absense of rare variant 91
Input_92 Presence and absense of rare variant 92
Input_93 Presence and absense of rare variant 93
Input_94 Presence and absense of rare variant 94
Input_95 Presence and absense of rare variant 95
Input_96 Presence and absense of rare variant 96
Input_97 Presence and absense of rare variant 97
Input_98 Presence and absense of rare variant 98
Input_99 Presence and absense of rare variant 99
Input_100 Presence and absense of rare variant 100
Input_101 Presence and absense of rare variant 101
Input_102 Presence and absense of rare variant 102
Input_103 Presence and absense of rare variant 103
Input_104 Presence and absense of rare variant 104
Input_105 Presence and absense of rare variant 105
Input_106 Presence and absense of rare variant 106
Input_107 Presence and absense of rare variant 107
Input_108 Presence and absense of rare variant 108
Input_109 Presence and absense of rare variant 109
Input_110 Presence and absense of rare variant 110
Input_111 Presence and absense of rare variant 111
Input_112 Presence and absense of rare variant 112
Input_113 Presence and absense of rare variant 113
Input_114 Presence and absense of rare variant 114
Input_115 Presence and absense of rare variant 115
Input_116 Presence and absense of rare variant 116
Input_117 Presence and absense of rare variant 117
Input_118 Presence and absense of rare variant 118
Input_119 Presence and absense of rare variant 119

Input_120	Presence and absense of rare variant	120
Input_121	Presence and absense of rare variant	121
Input_122	Presence and absense of rare variant	122
Input_123	Presence and absense of rare variant	123
Input_124	Presence and absense of rare variant	124
Input_125	Presence and absense of rare variant	125
Input_126	Presence and absense of rare variant	126
Input_127	Presence and absense of rare variant	127
Input_128	Presence and absense of rare variant	128
Input_129	Presence and absense of rare variant	129
Input_130	Presence and absense of rare variant	130
Input_131	Presence and absense of rare variant	131
Input_132	Presence and absense of rare variant	132
Input_133	Presence and absense of rare variant	133
Input_134	Presence and absense of rare variant	134
Input_135	Presence and absense of rare variant	135
Input_136	Presence and absense of rare variant	136
Input_137	Presence and absense of rare variant	137
Input_138	Presence and absense of rare variant	138
Input_139	Presence and absense of rare variant	139
Input_140	Presence and absense of rare variant	140
Input_141	Presence and absense of rare variant	141
Input_142	Presence and absense of rare variant	142
Input_143	Presence and absense of rare variant	143
Input_144	Presence and absense of rare variant	144
Input_145	Presence and absense of rare variant	145
Input_146	Presence and absense of rare variant	146
Input_147	Presence and absense of rare variant	147
Input_148	Presence and absense of rare variant	148
Input_149	Presence and absense of rare variant	149
Input_150	Presence and absense of rare variant	150
Input_151	Presence and absense of rare variant	151
Input_152	Presence and absense of rare variant	152
Input_153	Presence and absense of rare variant	153
Input_154	Presence and absense of rare variant	154
Input_155	Presence and absense of rare variant	155
Input_156	Presence and absense of rare variant	156

Input_157	Presence and absense of rare variant	157
Input_158	Presence and absense of rare variant	158
Input_159	Presence and absense of rare variant	159
Input_160	Presence and absense of rare variant	160
Input_161	Presence and absense of rare variant	161
Input_162	Presence and absense of rare variant	162
Input_163	Presence and absense of rare variant	163
Input_164	Presence and absense of rare variant	164
Input_165	Presence and absense of rare variant	165
Input_166	Presence and absense of rare variant	166
Input_167	Presence and absense of rare variant	167
Input_168	Presence and absense of rare variant	168
Input_169	Presence and absense of rare variant	169
Input_170	Presence and absense of rare variant	170
Input_171	Presence and absense of rare variant	171
Input_172	Presence and absense of rare variant	172
Input_173	Presence and absense of rare variant	173
Input_174	Presence and absense of rare variant	174
Input_175	Presence and absense of rare variant	175
Input_176	Presence and absense of rare variant	176
Input_177	Presence and absense of rare variant	177
Input_178	Presence and absense of rare variant	178
Input_179	Presence and absense of rare variant	179
Input_180	Presence and absense of rare variant	180
Input_181	Presence and absense of rare variant	181
Input_182	Presence and absense of rare variant	182
Input_183	Presence and absense of rare variant	183
Input_184	Presence and absense of rare variant	184
Input_185	Presence and absense of rare variant	185
Input_186	Presence and absense of rare variant	186
Input_187	Presence and absense of rare variant	187
Input_188	Presence and absense of rare variant	188
Input_189	Presence and absense of rare variant	189
Input_190	Presence and absense of rare variant	190
Input_191	Presence and absense of rare variant	191
Input_192	Presence and absense of rare variant	192
Input_193	Presence and absense of rare variant	193

Input_194	Presence and absense of rare variant	194
Input_195	Presence and absense of rare variant	195
Input_196	Presence and absense of rare variant	196
Input_197	Presence and absense of rare variant	197
Input_198	Presence and absense of rare variant	198
Input_199	Presence and absense of rare variant	199
Input_200	Presence and absense of rare variant	200
Input_201	Presence and absense of rare variant	201
Input_202	Presence and absense of rare variant	202
Input_203	Presence and absense of rare variant	203
Input_204	Presence and absense of rare variant	204
Input_205	Presence and absense of rare variant	205
Input_206	Presence and absense of rare variant	206
Input_207	Presence and absense of rare variant	207
Input_208	Presence and absense of rare variant	208
Input_209	Presence and absense of rare variant	209
Input_210	Presence and absense of rare variant	210
Input_211	Presence and absense of rare variant	211
Input_212	Presence and absense of rare variant	212
Input_213	Presence and absense of rare variant	213
Input_214	Presence and absense of rare variant	214
Input_215	Presence and absense of rare variant	215
Input_216	Presence and absense of rare variant	216
Input_217	Presence and absense of rare variant	217
Input_218	Presence and absense of rare variant	218
Input_219	Presence and absense of rare variant	219
Input_220	Presence and absense of rare variant	220
Input_221	Presence and absense of rare variant	221
Input_222	Presence and absense of rare variant	222
Input_223	Presence and absense of rare variant	223
Input_224	Presence and absense of rare variant	224
Input_225	Presence and absense of rare variant	225
Input_226	Presence and absense of rare variant	226
Input_227	Presence and absense of rare variant	227
Input_228	Presence and absense of rare variant	228
Input_229	Presence and absense of rare variant	229
Input_230	Presence and absense of rare variant	230

Input_231 Presence and absense of rare variant 231
Input_232 Presence and absense of rare variant 232
Input_233 Presence and absense of rare variant 233
Input_234 Presence and absense of rare variant 234
Input_235 Presence and absense of rare variant 235
Input_236 Presence and absense of rare variant 236
Input_237 Presence and absense of rare variant 237
Input_238 Presence and absense of rare variant 238
Input_239 Presence and absense of rare variant 239
Input_240 Presence and absense of rare variant 240
Input_241 Presence and absense of rare variant 241
Input_242 Presence and absense of rare variant 242
Input_243 Presence and absense of rare variant 243
Input_244 Presence and absense of rare variant 244
Input_245 Presence and absense of rare variant 245
Input_246 Presence and absense of rare variant 246
Input_247 Presence and absense of rare variant 247
Input_248 Presence and absense of rare variant 248
Input_249 Presence and absense of rare variant 249
Input_250 Presence and absense of rare variant 250
Input_251 Presence and absense of rare variant 251
Input_252 Presence and absense of rare variant 252
Input_253 Presence and absense of rare variant 253
Input_254 Presence and absense of rare variant 254
Input_255 Presence and absense of rare variant 255
Input_256 Presence and absense of rare variant 256
Input_257 Presence and absense of rare variant 257
Input_258 Presence and absense of rare variant 258
Input_259 Presence and absense of rare variant 259
Input_260 Presence and absense of rare variant 260
Input_261 Presence and absense of rare variant 261
Input_262 Presence and absense of rare variant 262
Input_263 Presence and absense of rare variant 263
Input_264 Presence and absense of rare variant 264
Input_265 Presence and absense of rare variant 265
Input_266 Presence and absense of rare variant 266
Input_267 Presence and absense of rare variant 267

Input_268	Presence and absense of rare variant	268
Input_269	Presence and absense of rare variant	269
Input_270	Presence and absense of rare variant	270
Input_271	Presence and absense of rare variant	271
Input_272	Presence and absense of rare variant	272
Input_273	Presence and absense of rare variant	273
Input_274	Presence and absense of rare variant	274
Input_275	Presence and absense of rare variant	275
Input_276	Presence and absense of rare variant	276
Input_277	Presence and absense of rare variant	277
Input_278	Presence and absense of rare variant	278
Input_279	Presence and absense of rare variant	279
Input_280	Presence and absense of rare variant	280
Input_281	Presence and absense of rare variant	281
Input_282	Presence and absense of rare variant	282
Input_283	Presence and absense of rare variant	283
Input_284	Presence and absense of rare variant	284
Input_285	Presence and absense of rare variant	285
Input_286	Presence and absense of rare variant	286
Input_287	Presence and absense of rare variant	287
Input_288	Presence and absense of rare variant	288
Input_289	Presence and absense of rare variant	289
Input_290	Presence and absense of rare variant	290
Input_291	Presence and absense of rare variant	291
Input_292	Presence and absense of rare variant	292
Input_293	Presence and absense of rare variant	293
Input_294	Presence and absense of rare variant	294
Input_295	Presence and absense of rare variant	295
Input_296	Presence and absense of rare variant	296
Input_297	Presence and absense of rare variant	297
Input_298	Presence and absense of rare variant	298
Input_299	Presence and absense of rare variant	299
Input_300	Presence and absense of rare variant	300
Input_301	Presence and absense of rare variant	301
Input_302	Presence and absense of rare variant	302
Input_303	Presence and absense of rare variant	303
Input_304	Presence and absense of rare variant	304

Input_305 Presence and absense of rare variant 305
Input_306 Presence and absense of rare variant 306
Input_307 Presence and absense of rare variant 307
Input_308 Presence and absense of rare variant 308
Input_309 Presence and absense of rare variant 309
Input_310 Presence and absense of rare variant 310
Input_311 Presence and absense of rare variant 311
Input_312 Presence and absense of rare variant 312
Input_313 Presence and absense of rare variant 313
Input_314 Presence and absense of rare variant 314
Input_315 Presence and absense of rare variant 315
Input_316 Presence and absense of rare variant 316
Input_317 Presence and absense of rare variant 317
Input_318 Presence and absense of rare variant 318
Input_319 Presence and absense of rare variant 319
Input_320 Presence and absense of rare variant 320
Input_321 Presence and absense of rare variant 321
Input_322 Presence and absense of rare variant 322
Input_323 Presence and absense of rare variant 323
Input_324 Presence and absense of rare variant 324
Input_325 Presence and absense of rare variant 325
Input_326 Presence and absense of rare variant 326
Input_327 Presence and absense of rare variant 327
Input_328 Presence and absense of rare variant 328
Input_329 Presence and absense of rare variant 329
Input_330 Presence and absense of rare variant 330
Input_331 Presence and absense of rare variant 331
Input_332 Presence and absense of rare variant 332
Input_333 Presence and absense of rare variant 333
Input_334 Presence and absense of rare variant 334
Input_335 Presence and absense of rare variant 335
Input_336 Presence and absense of rare variant 336
Input_337 Presence and absense of rare variant 337
Input_338 Presence and absense of rare variant 338
Input_339 Presence and absense of rare variant 339
Input_340 Presence and absense of rare variant 340
Input_341 Presence and absense of rare variant 341

Input_342 Presence and absense of rare variant 342
Input_343 Presence and absense of rare variant 343
Input_344 Presence and absense of rare variant 344
Input_345 Presence and absense of rare variant 345
Input_346 Presence and absense of rare variant 346
Input_347 Presence and absense of rare variant 347
Input_348 Presence and absense of rare variant 348
Input_349 Presence and absense of rare variant 349
Input_350 Presence and absense of rare variant 350
Input_351 Presence and absense of rare variant 351
Input_352 Presence and absense of rare variant 352
Input_353 Presence and absense of rare variant 353
Input_354 Presence and absense of rare variant 354
Input_355 Presence and absense of rare variant 355
Input_356 Presence and absense of rare variant 356
Input_357 Presence and absense of rare variant 357
Input_358 Presence and absense of rare variant 358
Input_359 Presence and absense of rare variant 359
Input_360 Presence and absense of rare variant 360
Input_361 Presence and absense of rare variant 361
Input_362 Presence and absense of rare variant 362
Input_363 Presence and absense of rare variant 363
Input_364 Presence and absense of rare variant 364
Input_365 Presence and absense of rare variant 365
Input_366 Presence and absense of rare variant 366
Input_367 Presence and absense of rare variant 367
Input_368 Presence and absense of rare variant 368
Input_369 Presence and absense of rare variant 369
Input_370 Presence and absense of rare variant 370
Input_371 Presence and absense of rare variant 371
Input_372 Presence and absense of rare variant 372
Input_373 Presence and absense of rare variant 373
Input_374 Presence and absense of rare variant 374
Input_375 Presence and absense of rare variant 375
Input_376 Presence and absense of rare variant 376
Input_377 Presence and absense of rare variant 377
Input_378 Presence and absense of rare variant 378

Input_379 Presence and absense of rare variant 379
Input_380 Presence and absense of rare variant 380
Input_381 Presence and absense of rare variant 381
Input_382 Presence and absense of rare variant 382
Input_383 Presence and absense of rare variant 383
Input_384 Presence and absense of rare variant 384
Input_385 Presence and absense of rare variant 385
Input_386 Presence and absense of rare variant 386
Input_387 Presence and absense of rare variant 387
Input_388 Presence and absense of rare variant 388
Input_389 Presence and absense of rare variant 389
Input_390 Presence and absense of rare variant 390
Input_391 Presence and absense of rare variant 391
Input_392 Presence and absense of rare variant 392
Input_393 Presence and absense of rare variant 393
Input_394 Presence and absense of rare variant 394
Input_395 Presence and absense of rare variant 395
Input_396 Presence and absense of rare variant 396
Input_397 Presence and absense of rare variant 397
Input_398 Presence and absense of rare variant 398
Input_399 Presence and absense of rare variant 399
Input_400 Presence and absense of rare variant 400
Input_401 Presence and absense of rare variant 401
Input_402 Presence and absense of rare variant 402
Input_403 Presence and absense of rare variant 403
Input_404 Presence and absense of rare variant 404
Input_405 Presence and absense of rare variant 405
Input_406 Presence and absense of rare variant 406
Input_407 Presence and absense of rare variant 407
Input_408 Presence and absense of rare variant 408
Input_409 Presence and absense of rare variant 409
Input_410 Presence and absense of rare variant 410
Input_411 Presence and absense of rare variant 411
Input_412 Presence and absense of rare variant 412
Input_413 Presence and absense of rare variant 413
Input_414 Presence and absense of rare variant 414
Input_415 Presence and absense of rare variant 415

Input_416 Presence and absense of rare variant 416
Input_417 Presence and absense of rare variant 417
Input_418 Presence and absense of rare variant 418
Input_419 Presence and absense of rare variant 419
Input_420 Presence and absense of rare variant 420
Input_421 Presence and absense of rare variant 421
Input_422 Presence and absense of rare variant 422
Input_423 Presence and absense of rare variant 423
Input_424 Presence and absense of rare variant 424
Input_425 Presence and absense of rare variant 425
Input_426 Presence and absense of rare variant 426
Input_427 Presence and absense of rare variant 427
Input_428 Presence and absense of rare variant 428
Input_429 Presence and absense of rare variant 429
Input_430 Presence and absense of rare variant 430
Input_431 Presence and absense of rare variant 431
Input_432 Presence and absense of rare variant 432
Input_433 Presence and absense of rare variant 433
Input_434 Presence and absense of rare variant 434
Input_435 Presence and absense of rare variant 435
Input_436 Presence and absense of rare variant 436
Input_437 Presence and absense of rare variant 437
Input_438 Presence and absense of rare variant 438
Input_439 Presence and absense of rare variant 439
Input_440 Presence and absense of rare variant 440
Input_441 Presence and absense of rare variant 441
Input_442 Presence and absense of rare variant 442
Input_443 Presence and absense of rare variant 443
Input_444 Presence and absense of rare variant 444
Input_445 Presence and absense of rare variant 445
Input_446 Presence and absense of rare variant 446
Input_447 Presence and absense of rare variant 447
Input_448 Presence and absense of rare variant 448
Input_449 Presence and absense of rare variant 449
Input_450 Presence and absense of rare variant 450
Input_451 Presence and absense of rare variant 451
Input_452 Presence and absense of rare variant 452

Input_453 Presence and absense of rare variant 453
Input_454 Presence and absense of rare variant 454
Input_455 Presence and absense of rare variant 455
Input_456 Presence and absense of rare variant 456
Input_457 Presence and absense of rare variant 457
Input_458 Presence and absense of rare variant 458
Input_459 Presence and absense of rare variant 459
Input_460 Presence and absense of rare variant 460
Input_461 Presence and absense of rare variant 461
Input_462 Presence and absense of rare variant 462
Input_463 Presence and absense of rare variant 463
Input_464 Presence and absense of rare variant 464
Input_465 Presence and absense of rare variant 465
Input_466 Presence and absense of rare variant 466
Input_467 Presence and absense of rare variant 467
Input_468 Presence and absense of rare variant 468
Input_469 Presence and absense of rare variant 469
Input_470 Presence and absense of rare variant 470
Input_471 Presence and absense of rare variant 471
Input_472 Presence and absense of rare variant 472
Input_473 Presence and absense of rare variant 473
Input_474 Presence and absense of rare variant 474
Input_475 Presence and absense of rare variant 475
Input_476 Presence and absense of rare variant 476
Input_477 Presence and absense of rare variant 477
Input_478 Presence and absense of rare variant 478
Input_479 Presence and absense of rare variant 479
Input_480 Presence and absense of rare variant 480
Input_481 Presence and absense of rare variant 481
Input_482 Presence and absense of rare variant 482
Input_483 Presence and absense of rare variant 483
Input_484 Presence and absense of rare variant 484
Input_485 Presence and absense of rare variant 485
Input_486 Presence and absense of rare variant 486
Input_487 Presence and absense of rare variant 487
Input_488 Presence and absense of rare variant 488
Input_489 Presence and absense of rare variant 489

Input_490 Presence and absense of rare variant 490
Input_491 Presence and absense of rare variant 491
Input_492 Presence and absense of rare variant 492
Input_493 Presence and absense of rare variant 493
Input_494 Presence and absense of rare variant 494
Input_495 Presence and absense of rare variant 495
Input_496 Presence and absense of rare variant 496
Input_497 Presence and absense of rare variant 497
Input_498 Presence and absense of rare variant 498
Input_499 Presence and absense of rare variant 499
Input_500 Presence and absense of rare variant 500
Output_1 Disease outcome or phenotype

boolean_input_mult_df *Sparse Boolean dataframe with rare variant information and multiple outcome variables*

Description

A synthetic dataset containing information about 5000 individuals (rows) and 1000 rare variants (columns) and 3 outcome variables.

Usage

```
boolean_input_mult_df
```

Format

A data frame with 5000 rows and 1004 variables:

Sample_Name Unique identifier of the samples
Input_1 Presence and absense of rare variant 1
Input_2 Presence and absense of rare variant 2
Input_3 Presence and absense of rare variant 3
Input_4 Presence and absense of rare variant 4
Input_5 Presence and absense of rare variant 5
Input_6 Presence and absense of rare variant 6
Input_7 Presence and absense of rare variant 7
Input_8 Presence and absense of rare variant 8
Input_9 Presence and absense of rare variant 9
Input_10 Presence and absense of rare variant 10

Input_11 Presence and absense of rare variant 11
Input_12 Presence and absense of rare variant 12
Input_13 Presence and absense of rare variant 13
Input_14 Presence and absense of rare variant 14
Input_15 Presence and absense of rare variant 15
Input_16 Presence and absense of rare variant 16
Input_17 Presence and absense of rare variant 17
Input_18 Presence and absense of rare variant 18
Input_19 Presence and absense of rare variant 19
Input_20 Presence and absense of rare variant 20
Input_21 Presence and absense of rare variant 21
Input_22 Presence and absense of rare variant 22
Input_23 Presence and absense of rare variant 23
Input_24 Presence and absense of rare variant 24
Input_25 Presence and absense of rare variant 25
Input_26 Presence and absense of rare variant 26
Input_27 Presence and absense of rare variant 27
Input_28 Presence and absense of rare variant 28
Input_29 Presence and absense of rare variant 29
Input_30 Presence and absense of rare variant 30
Input_31 Presence and absense of rare variant 31
Input_32 Presence and absense of rare variant 32
Input_33 Presence and absense of rare variant 33
Input_34 Presence and absense of rare variant 34
Input_35 Presence and absense of rare variant 35
Input_36 Presence and absense of rare variant 36
Input_37 Presence and absense of rare variant 37
Input_38 Presence and absense of rare variant 38
Input_39 Presence and absense of rare variant 39
Input_40 Presence and absense of rare variant 40
Input_41 Presence and absense of rare variant 41
Input_42 Presence and absense of rare variant 42
Input_43 Presence and absense of rare variant 43
Input_44 Presence and absense of rare variant 44
Input_45 Presence and absense of rare variant 45
Input_46 Presence and absense of rare variant 46
Input_47 Presence and absense of rare variant 47

Input_48	Presence and absense of rare variant	48
Input_49	Presence and absense of rare variant	49
Input_50	Presence and absense of rare variant	50
Input_51	Presence and absense of rare variant	51
Input_52	Presence and absense of rare variant	52
Input_53	Presence and absense of rare variant	53
Input_54	Presence and absense of rare variant	54
Input_55	Presence and absense of rare variant	55
Input_56	Presence and absense of rare variant	56
Input_57	Presence and absense of rare variant	57
Input_58	Presence and absense of rare variant	58
Input_59	Presence and absense of rare variant	59
Input_60	Presence and absense of rare variant	60
Input_61	Presence and absense of rare variant	61
Input_62	Presence and absense of rare variant	62
Input_63	Presence and absense of rare variant	63
Input_64	Presence and absense of rare variant	64
Input_65	Presence and absense of rare variant	65
Input_66	Presence and absense of rare variant	66
Input_67	Presence and absense of rare variant	67
Input_68	Presence and absense of rare variant	68
Input_69	Presence and absense of rare variant	69
Input_70	Presence and absense of rare variant	70
Input_71	Presence and absense of rare variant	71
Input_72	Presence and absense of rare variant	72
Input_73	Presence and absense of rare variant	73
Input_74	Presence and absense of rare variant	74
Input_75	Presence and absense of rare variant	75
Input_76	Presence and absense of rare variant	76
Input_77	Presence and absense of rare variant	77
Input_78	Presence and absense of rare variant	78
Input_79	Presence and absense of rare variant	79
Input_80	Presence and absense of rare variant	80
Input_81	Presence and absense of rare variant	81
Input_82	Presence and absense of rare variant	82
Input_83	Presence and absense of rare variant	83
Input_84	Presence and absense of rare variant	84

Input_85 Presence and absense of rare variant 85
Input_86 Presence and absense of rare variant 86
Input_87 Presence and absense of rare variant 87
Input_88 Presence and absense of rare variant 88
Input_89 Presence and absense of rare variant 89
Input_90 Presence and absense of rare variant 90
Input_91 Presence and absense of rare variant 91
Input_92 Presence and absense of rare variant 92
Input_93 Presence and absense of rare variant 93
Input_94 Presence and absense of rare variant 94
Input_95 Presence and absense of rare variant 95
Input_96 Presence and absense of rare variant 96
Input_97 Presence and absense of rare variant 97
Input_98 Presence and absense of rare variant 98
Input_99 Presence and absense of rare variant 99
Input_100 Presence and absense of rare variant 100
Input_101 Presence and absense of rare variant 101
Input_102 Presence and absense of rare variant 102
Input_103 Presence and absense of rare variant 103
Input_104 Presence and absense of rare variant 104
Input_105 Presence and absense of rare variant 105
Input_106 Presence and absense of rare variant 106
Input_107 Presence and absense of rare variant 107
Input_108 Presence and absense of rare variant 108
Input_109 Presence and absense of rare variant 109
Input_110 Presence and absense of rare variant 110
Input_111 Presence and absense of rare variant 111
Input_112 Presence and absense of rare variant 112
Input_113 Presence and absense of rare variant 113
Input_114 Presence and absense of rare variant 114
Input_115 Presence and absense of rare variant 115
Input_116 Presence and absense of rare variant 116
Input_117 Presence and absense of rare variant 117
Input_118 Presence and absense of rare variant 118
Input_119 Presence and absense of rare variant 119
Input_120 Presence and absense of rare variant 120
Input_121 Presence and absense of rare variant 121

Input_122	Presence and absense of rare variant	122
Input_123	Presence and absense of rare variant	123
Input_124	Presence and absense of rare variant	124
Input_125	Presence and absense of rare variant	125
Input_126	Presence and absense of rare variant	126
Input_127	Presence and absense of rare variant	127
Input_128	Presence and absense of rare variant	128
Input_129	Presence and absense of rare variant	129
Input_130	Presence and absense of rare variant	130
Input_131	Presence and absense of rare variant	131
Input_132	Presence and absense of rare variant	132
Input_133	Presence and absense of rare variant	133
Input_134	Presence and absense of rare variant	134
Input_135	Presence and absense of rare variant	135
Input_136	Presence and absense of rare variant	136
Input_137	Presence and absense of rare variant	137
Input_138	Presence and absense of rare variant	138
Input_139	Presence and absense of rare variant	139
Input_140	Presence and absense of rare variant	140
Input_141	Presence and absense of rare variant	141
Input_142	Presence and absense of rare variant	142
Input_143	Presence and absense of rare variant	143
Input_144	Presence and absense of rare variant	144
Input_145	Presence and absense of rare variant	145
Input_146	Presence and absense of rare variant	146
Input_147	Presence and absense of rare variant	147
Input_148	Presence and absense of rare variant	148
Input_149	Presence and absense of rare variant	149
Input_150	Presence and absense of rare variant	150
Input_151	Presence and absense of rare variant	151
Input_152	Presence and absense of rare variant	152
Input_153	Presence and absense of rare variant	153
Input_154	Presence and absense of rare variant	154
Input_155	Presence and absense of rare variant	155
Input_156	Presence and absense of rare variant	156
Input_157	Presence and absense of rare variant	157
Input_158	Presence and absense of rare variant	158

Input_159	Presence and absense of rare variant	159
Input_160	Presence and absense of rare variant	160
Input_161	Presence and absense of rare variant	161
Input_162	Presence and absense of rare variant	162
Input_163	Presence and absense of rare variant	163
Input_164	Presence and absense of rare variant	164
Input_165	Presence and absense of rare variant	165
Input_166	Presence and absense of rare variant	166
Input_167	Presence and absense of rare variant	167
Input_168	Presence and absense of rare variant	168
Input_169	Presence and absense of rare variant	169
Input_170	Presence and absense of rare variant	170
Input_171	Presence and absense of rare variant	171
Input_172	Presence and absense of rare variant	172
Input_173	Presence and absense of rare variant	173
Input_174	Presence and absense of rare variant	174
Input_175	Presence and absense of rare variant	175
Input_176	Presence and absense of rare variant	176
Input_177	Presence and absense of rare variant	177
Input_178	Presence and absense of rare variant	178
Input_179	Presence and absense of rare variant	179
Input_180	Presence and absense of rare variant	180
Input_181	Presence and absense of rare variant	181
Input_182	Presence and absense of rare variant	182
Input_183	Presence and absense of rare variant	183
Input_184	Presence and absense of rare variant	184
Input_185	Presence and absense of rare variant	185
Input_186	Presence and absense of rare variant	186
Input_187	Presence and absense of rare variant	187
Input_188	Presence and absense of rare variant	188
Input_189	Presence and absense of rare variant	189
Input_190	Presence and absense of rare variant	190
Input_191	Presence and absense of rare variant	191
Input_192	Presence and absense of rare variant	192
Input_193	Presence and absense of rare variant	193
Input_194	Presence and absense of rare variant	194
Input_195	Presence and absense of rare variant	195

Input_196	Presence and absense of rare variant	196
Input_197	Presence and absense of rare variant	197
Input_198	Presence and absense of rare variant	198
Input_199	Presence and absense of rare variant	199
Input_200	Presence and absense of rare variant	200
Input_201	Presence and absense of rare variant	201
Input_202	Presence and absense of rare variant	202
Input_203	Presence and absense of rare variant	203
Input_204	Presence and absense of rare variant	204
Input_205	Presence and absense of rare variant	205
Input_206	Presence and absense of rare variant	206
Input_207	Presence and absense of rare variant	207
Input_208	Presence and absense of rare variant	208
Input_209	Presence and absense of rare variant	209
Input_210	Presence and absense of rare variant	210
Input_211	Presence and absense of rare variant	211
Input_212	Presence and absense of rare variant	212
Input_213	Presence and absense of rare variant	213
Input_214	Presence and absense of rare variant	214
Input_215	Presence and absense of rare variant	215
Input_216	Presence and absense of rare variant	216
Input_217	Presence and absense of rare variant	217
Input_218	Presence and absense of rare variant	218
Input_219	Presence and absense of rare variant	219
Input_220	Presence and absense of rare variant	220
Input_221	Presence and absense of rare variant	221
Input_222	Presence and absense of rare variant	222
Input_223	Presence and absense of rare variant	223
Input_224	Presence and absense of rare variant	224
Input_225	Presence and absense of rare variant	225
Input_226	Presence and absense of rare variant	226
Input_227	Presence and absense of rare variant	227
Input_228	Presence and absense of rare variant	228
Input_229	Presence and absense of rare variant	229
Input_230	Presence and absense of rare variant	230
Input_231	Presence and absense of rare variant	231
Input_232	Presence and absense of rare variant	232

Input_233 Presence and absense of rare variant 233
Input_234 Presence and absense of rare variant 234
Input_235 Presence and absense of rare variant 235
Input_236 Presence and absense of rare variant 236
Input_237 Presence and absense of rare variant 237
Input_238 Presence and absense of rare variant 238
Input_239 Presence and absense of rare variant 239
Input_240 Presence and absense of rare variant 240
Input_241 Presence and absense of rare variant 241
Input_242 Presence and absense of rare variant 242
Input_243 Presence and absense of rare variant 243
Input_244 Presence and absense of rare variant 244
Input_245 Presence and absense of rare variant 245
Input_246 Presence and absense of rare variant 246
Input_247 Presence and absense of rare variant 247
Input_248 Presence and absense of rare variant 248
Input_249 Presence and absense of rare variant 249
Input_250 Presence and absense of rare variant 250
Input_251 Presence and absense of rare variant 251
Input_252 Presence and absense of rare variant 252
Input_253 Presence and absense of rare variant 253
Input_254 Presence and absense of rare variant 254
Input_255 Presence and absense of rare variant 255
Input_256 Presence and absense of rare variant 256
Input_257 Presence and absense of rare variant 257
Input_258 Presence and absense of rare variant 258
Input_259 Presence and absense of rare variant 259
Input_260 Presence and absense of rare variant 260
Input_261 Presence and absense of rare variant 261
Input_262 Presence and absense of rare variant 262
Input_263 Presence and absense of rare variant 263
Input_264 Presence and absense of rare variant 264
Input_265 Presence and absense of rare variant 265
Input_266 Presence and absense of rare variant 266
Input_267 Presence and absense of rare variant 267
Input_268 Presence and absense of rare variant 268
Input_269 Presence and absense of rare variant 269

Input_270 Presence and absense of rare variant 270
Input_271 Presence and absense of rare variant 271
Input_272 Presence and absense of rare variant 272
Input_273 Presence and absense of rare variant 273
Input_274 Presence and absense of rare variant 274
Input_275 Presence and absense of rare variant 275
Input_276 Presence and absense of rare variant 276
Input_277 Presence and absense of rare variant 277
Input_278 Presence and absense of rare variant 278
Input_279 Presence and absense of rare variant 279
Input_280 Presence and absense of rare variant 280
Input_281 Presence and absense of rare variant 281
Input_282 Presence and absense of rare variant 282
Input_283 Presence and absense of rare variant 283
Input_284 Presence and absense of rare variant 284
Input_285 Presence and absense of rare variant 285
Input_286 Presence and absense of rare variant 286
Input_287 Presence and absense of rare variant 287
Input_288 Presence and absense of rare variant 288
Input_289 Presence and absense of rare variant 289
Input_290 Presence and absense of rare variant 290
Input_291 Presence and absense of rare variant 291
Input_292 Presence and absense of rare variant 292
Input_293 Presence and absense of rare variant 293
Input_294 Presence and absense of rare variant 294
Input_295 Presence and absense of rare variant 295
Input_296 Presence and absense of rare variant 296
Input_297 Presence and absense of rare variant 297
Input_298 Presence and absense of rare variant 298
Input_299 Presence and absense of rare variant 299
Input_300 Presence and absense of rare variant 300
Input_301 Presence and absense of rare variant 301
Input_302 Presence and absense of rare variant 302
Input_303 Presence and absense of rare variant 303
Input_304 Presence and absense of rare variant 304
Input_305 Presence and absense of rare variant 305
Input_306 Presence and absense of rare variant 306

Input_307 Presence and absense of rare variant 307
Input_308 Presence and absense of rare variant 308
Input_309 Presence and absense of rare variant 309
Input_310 Presence and absense of rare variant 310
Input_311 Presence and absense of rare variant 311
Input_312 Presence and absense of rare variant 312
Input_313 Presence and absense of rare variant 313
Input_314 Presence and absense of rare variant 314
Input_315 Presence and absense of rare variant 315
Input_316 Presence and absense of rare variant 316
Input_317 Presence and absense of rare variant 317
Input_318 Presence and absense of rare variant 318
Input_319 Presence and absense of rare variant 319
Input_320 Presence and absense of rare variant 320
Input_321 Presence and absense of rare variant 321
Input_322 Presence and absense of rare variant 322
Input_323 Presence and absense of rare variant 323
Input_324 Presence and absense of rare variant 324
Input_325 Presence and absense of rare variant 325
Input_326 Presence and absense of rare variant 326
Input_327 Presence and absense of rare variant 327
Input_328 Presence and absense of rare variant 328
Input_329 Presence and absense of rare variant 329
Input_330 Presence and absense of rare variant 330
Input_331 Presence and absense of rare variant 331
Input_332 Presence and absense of rare variant 332
Input_333 Presence and absense of rare variant 333
Input_334 Presence and absense of rare variant 334
Input_335 Presence and absense of rare variant 335
Input_336 Presence and absense of rare variant 336
Input_337 Presence and absense of rare variant 337
Input_338 Presence and absense of rare variant 338
Input_339 Presence and absense of rare variant 339
Input_340 Presence and absense of rare variant 340
Input_341 Presence and absense of rare variant 341
Input_342 Presence and absense of rare variant 342
Input_343 Presence and absense of rare variant 343

Input_344 Presence and absense of rare variant 344
Input_345 Presence and absense of rare variant 345
Input_346 Presence and absense of rare variant 346
Input_347 Presence and absense of rare variant 347
Input_348 Presence and absense of rare variant 348
Input_349 Presence and absense of rare variant 349
Input_350 Presence and absense of rare variant 350
Input_351 Presence and absense of rare variant 351
Input_352 Presence and absense of rare variant 352
Input_353 Presence and absense of rare variant 353
Input_354 Presence and absense of rare variant 354
Input_355 Presence and absense of rare variant 355
Input_356 Presence and absense of rare variant 356
Input_357 Presence and absense of rare variant 357
Input_358 Presence and absense of rare variant 358
Input_359 Presence and absense of rare variant 359
Input_360 Presence and absense of rare variant 360
Input_361 Presence and absense of rare variant 361
Input_362 Presence and absense of rare variant 362
Input_363 Presence and absense of rare variant 363
Input_364 Presence and absense of rare variant 364
Input_365 Presence and absense of rare variant 365
Input_366 Presence and absense of rare variant 366
Input_367 Presence and absense of rare variant 367
Input_368 Presence and absense of rare variant 368
Input_369 Presence and absense of rare variant 369
Input_370 Presence and absense of rare variant 370
Input_371 Presence and absense of rare variant 371
Input_372 Presence and absense of rare variant 372
Input_373 Presence and absense of rare variant 373
Input_374 Presence and absense of rare variant 374
Input_375 Presence and absense of rare variant 375
Input_376 Presence and absense of rare variant 376
Input_377 Presence and absense of rare variant 377
Input_378 Presence and absense of rare variant 378
Input_379 Presence and absense of rare variant 379
Input_380 Presence and absense of rare variant 380

Input_381 Presence and absense of rare variant 381
Input_382 Presence and absense of rare variant 382
Input_383 Presence and absense of rare variant 383
Input_384 Presence and absense of rare variant 384
Input_385 Presence and absense of rare variant 385
Input_386 Presence and absense of rare variant 386
Input_387 Presence and absense of rare variant 387
Input_388 Presence and absense of rare variant 388
Input_389 Presence and absense of rare variant 389
Input_390 Presence and absense of rare variant 390
Input_391 Presence and absense of rare variant 391
Input_392 Presence and absense of rare variant 392
Input_393 Presence and absense of rare variant 393
Input_394 Presence and absense of rare variant 394
Input_395 Presence and absense of rare variant 395
Input_396 Presence and absense of rare variant 396
Input_397 Presence and absense of rare variant 397
Input_398 Presence and absense of rare variant 398
Input_399 Presence and absense of rare variant 399
Input_400 Presence and absense of rare variant 400
Input_401 Presence and absense of rare variant 401
Input_402 Presence and absense of rare variant 402
Input_403 Presence and absense of rare variant 403
Input_404 Presence and absense of rare variant 404
Input_405 Presence and absense of rare variant 405
Input_406 Presence and absense of rare variant 406
Input_407 Presence and absense of rare variant 407
Input_408 Presence and absense of rare variant 408
Input_409 Presence and absense of rare variant 409
Input_410 Presence and absense of rare variant 410
Input_411 Presence and absense of rare variant 411
Input_412 Presence and absense of rare variant 412
Input_413 Presence and absense of rare variant 413
Input_414 Presence and absense of rare variant 414
Input_415 Presence and absense of rare variant 415
Input_416 Presence and absense of rare variant 416
Input_417 Presence and absense of rare variant 417

Input_418 Presence and absense of rare variant 418
Input_419 Presence and absense of rare variant 419
Input_420 Presence and absense of rare variant 420
Input_421 Presence and absense of rare variant 421
Input_422 Presence and absense of rare variant 422
Input_423 Presence and absense of rare variant 423
Input_424 Presence and absense of rare variant 424
Input_425 Presence and absense of rare variant 425
Input_426 Presence and absense of rare variant 426
Input_427 Presence and absense of rare variant 427
Input_428 Presence and absense of rare variant 428
Input_429 Presence and absense of rare variant 429
Input_430 Presence and absense of rare variant 430
Input_431 Presence and absense of rare variant 431
Input_432 Presence and absense of rare variant 432
Input_433 Presence and absense of rare variant 433
Input_434 Presence and absense of rare variant 434
Input_435 Presence and absense of rare variant 435
Input_436 Presence and absense of rare variant 436
Input_437 Presence and absense of rare variant 437
Input_438 Presence and absense of rare variant 438
Input_439 Presence and absense of rare variant 439
Input_440 Presence and absense of rare variant 440
Input_441 Presence and absense of rare variant 441
Input_442 Presence and absense of rare variant 442
Input_443 Presence and absense of rare variant 443
Input_444 Presence and absense of rare variant 444
Input_445 Presence and absense of rare variant 445
Input_446 Presence and absense of rare variant 446
Input_447 Presence and absense of rare variant 447
Input_448 Presence and absense of rare variant 448
Input_449 Presence and absense of rare variant 449
Input_450 Presence and absense of rare variant 450
Input_451 Presence and absense of rare variant 451
Input_452 Presence and absense of rare variant 452
Input_453 Presence and absense of rare variant 453
Input_454 Presence and absense of rare variant 454

Input_455 Presence and absense of rare variant 455
Input_456 Presence and absense of rare variant 456
Input_457 Presence and absense of rare variant 457
Input_458 Presence and absense of rare variant 458
Input_459 Presence and absense of rare variant 459
Input_460 Presence and absense of rare variant 460
Input_461 Presence and absense of rare variant 461
Input_462 Presence and absense of rare variant 462
Input_463 Presence and absense of rare variant 463
Input_464 Presence and absense of rare variant 464
Input_465 Presence and absense of rare variant 465
Input_466 Presence and absense of rare variant 466
Input_467 Presence and absense of rare variant 467
Input_468 Presence and absense of rare variant 468
Input_469 Presence and absense of rare variant 469
Input_470 Presence and absense of rare variant 470
Input_471 Presence and absense of rare variant 471
Input_472 Presence and absense of rare variant 472
Input_473 Presence and absense of rare variant 473
Input_474 Presence and absense of rare variant 474
Input_475 Presence and absense of rare variant 475
Input_476 Presence and absense of rare variant 476
Input_477 Presence and absense of rare variant 477
Input_478 Presence and absense of rare variant 478
Input_479 Presence and absense of rare variant 479
Input_480 Presence and absense of rare variant 480
Input_481 Presence and absense of rare variant 481
Input_482 Presence and absense of rare variant 482
Input_483 Presence and absense of rare variant 483
Input_484 Presence and absense of rare variant 484
Input_485 Presence and absense of rare variant 485
Input_486 Presence and absense of rare variant 486
Input_487 Presence and absense of rare variant 487
Input_488 Presence and absense of rare variant 488
Input_489 Presence and absense of rare variant 489
Input_490 Presence and absense of rare variant 490
Input_491 Presence and absense of rare variant 491

Input_492 Presence and absense of rare variant 492
Input_493 Presence and absense of rare variant 493
Input_494 Presence and absense of rare variant 494
Input_495 Presence and absense of rare variant 495
Input_496 Presence and absense of rare variant 496
Input_497 Presence and absense of rare variant 497
Input_498 Presence and absense of rare variant 498
Input_499 Presence and absense of rare variant 499
Input_500 Presence and absense of rare variant 500
Output_1 Disease outcome or phenotype 1
Output_2 Disease outcome or phenotype 2
Output_3 Disease outcome or phenotype 3

compare_enrichment	<i>Compare the enrichment in combinations of input variables between the binary outcomes (case/control)</i>
--------------------	---

Description

This function takes a Boolean dataframe as input and quantifies the enrichment in the observed frequency of combinations that meet the criteria specified by the users compared to their corresponding expectation derived under the assumption of independence between the constituent elements of each combination. The function then reports the multiple-testing adjusted significant combinations in which enrichment is observed in cases but not in controls.

Usage

```
compare_enrichment(boolean_input_df, combo_length, min_indv_threshold,
                    max_freq_threshold, input_format, output_format,
                    pval_filter_threshold, adj_pval_type, min_power_threshold,
                    sample_names_ind)
```

Arguments

boolean_input_df	An input Boolean dataframe with multiple input and a single binary outcome variable
combo_length	The length of the combinations specified by the user
min_indv_threshold	Minimum number of instances that support the combination
max_freq_threshold	Maximum fraction of the cohort size that could support a combination (i.e., filter out highly frequent events)

input_format	Optional Naming convention used for input variables (Default = 'Input_')
output_format	Optional Naming convention used for output variables (Default = 'Output_')
pval_filter_threshold	Optional p-value cut-off to use to identify significant combinations in cases (Default = 0.05)
adj_pval_type	Optional Type of multiple testing corrections to use (Default = 'BH'; Alternative option = 'bonferroni')
min_power_threshold	Optional Minimum statistical power (at 5% sig.threshold) required for significant combinations to be returned in the results (Default = 0.7)
sample_names_ind	Optional Indicator to specify if the output should includes row names that support each significant combination (Default = 'N'; Alternative option = 'Y')

Value

A dataframe with the list of multiple-testing adjusted statistically significant combinations along with quantitative measures (frequencies, p-values etc) that support the findings.

Author(s)

Vijay Kumar Pounraja

Examples

```
compare_enrichment(boolean_input_df, 3, 5, 0.25, input_format = 'Input_',
                    output_format = 'Output_', adj_pval_type = 'bonferroni',
                    sample_names_ind = 'N')
```

compare_enrichment_depletion

Compare the enrichment in combinations of input variables between the binary outcomes (case/control)

Description

This function takes a Boolean dataframe as input and quantifies the enrichment in the observed frequency of combinations that meet the criteria specified by the users compared to their corresponding expectation derived under the assumption of independence between the constituent elements of each combination. The function then reports the multiple-testing adjusted significant combinations in which enrichment is observed in cases and depletion is observed in controls.

Usage

```
compare_enrichment_depletion(boolean_input_df, combo_length, min_indv_threshold,
                             max_freq_threshold, input_format, output_format,
                             pval_filter_threshold, adj_pval_type, min_power_threshold,
                             sample_names_ind)
```

Arguments

boolean_input_df An input Boolean dataframe with multiple input and a single binary outcome variable

combo_length The length of the combinations specified by the user

min_indv_threshold Minimum number of instances that support the combination

max_freq_threshold Maximum fraction of the cohort size that could support a combination (i.e., filter out highly frequent events)

input_format Optional | Naming convention used for input variables (Default = 'Input_')

output_format Optional | Naming convention used for output variables (Default = 'Output_')

pval_filter_threshold Optional | p-value cut-off to use to identify significant combinations in cases (Default = 0.05)

adj_pval_type Optional | Type of multiple testing corrections to use (Default = 'BH'; Alternative option = 'bonferroni')

min_power_threshold Optional | Minimum statistical power (at 5% sig.threshold) required for significant combinations to be returned in the results (Default = 0.7)

sample_names_ind Optional | Indicator to specify if the output should includes row names that support each significant combination (Default = 'N'; Alternative option = 'Y')

Value

A dataframe with the list of multiple-testing adjusted statistically significant combinations along with quantitative measures (frequencies, p-values etc) that support the findings.

Author(s)

Vijay Kumar Pounraja

Examples

```
compare_enrichment_depletion(boolean_input_df, 3, 5, 0.25, input_format = 'Input_',
                             output_format = 'Output_', adj_pval_type = 'bonferroni',
                             sample_names_ind = 'N')
```

compare_enrichment_modifiers

Compare the enrichment in combinations of input variables between the binary outcomes (case/control)

Description

This function takes a Boolean dataframe as input and quantifies the enrichment in the observed frequency of combinations that include at least one of the input variables supplied by the user as well as meet other user-specified criteria compared to their corresponding expectation derived under the assumption of independence between the constituent elements of each combination. The function then reports the combinations in which enrichment is observed in cases but not in controls.

Usage

```
compare_enrichment_modifiers(boolean_input_df, combo_length, min_indv_threshold,
                             max_freq_threshold, primary_input_entities, input_format,
                             output_format, pval_filter_threshold, adj_pval_type,
                             min_power_threshold, sample_names_ind)
```

Arguments

boolean_input_df	An input Boolean dataframe with multiple input and a single binary outcome variable
combo_length	The length of the combinations specified by the user
min_indv_threshold	Minimum number of instances that support the combination
max_freq_threshold	Maximum fraction of the cohort size that could support a combination (i.e., filter out highly frequent events)
primary_input_entities	List of variables that MUST be part of the combinations identified by the method
input_format	Optional Naming convention used for input variables (Default = 'Input_')
output_format	Optional Naming convention used for output variables (Default = 'Output_')
pval_filter_threshold	Optional p-value cut-off to use to identify significant combinations in cases (Default = 0.05)
adj_pval_type	Optional Type of multiple testing corrections to use (Default = 'BH'; Alternative option = 'bonferroni')
min_power_threshold	Optional Minimum statistical power (at 5% sig.threshold) required for significant combinations to be returned in the results (Default = 0.7)
sample_names_ind	Optional Indicator to specify if the output should include row names that support each significant combination (Default = 'N'; Alternative option = 'Y')

Value

A dataframe with the list of multiple-testing adjusted statistically significant combinations along with quantitative measures (frequencies, p-values etc) that support the findings.

Author(s)

Vijay Kumar Pounraja

Examples

```
compare_enrichment_modifiers(boolean_input_df, 2, 4, 0.25, input_format = 'Input_',
                             output_format = 'Output_', primary_input_entities = input_list,
                             adj_pval_type = 'bonferroni', sample_names_ind = 'N')
```

compare_expected_vs_observed

Compare the observed frequencies of combinations with their expected frequencies under the assumption of independence within a single group

Description

This function takes a Boolean dataframe as input and compares the observed frequency of combinations that meet the criteria specified by the users with their corresponding expectation derived under the assumption of independence between the constituent elements of each combination

Usage

```
compare_expected_vs_observed(boolean_input_df, combo_length, min_indv_threshold,
                             max_freq_threshold, input_format,
                             pval_filter_threshold, adj_pval_type)
```

Arguments

boolean_input_df	An input Boolean dataframe with multiple input variables
combo_length	The length of the combinations specified by the user
min_indv_threshold	Minimum number of instances that support the combination
max_freq_threshold	Maximum fraction of the cohort size that could support a combination (i.e., filter out highly frequent events)
input_format	Optional Naming convention used for input variables (Default = 'Input_')

pval_filter_threshold Optional | p-value cut-off to use for multiple testing adjustment (Default = 0.05)
 adj_pval_type Optional | Type of multiple testing corrections to use (Default = 'BH'; Alternative option = 'bonferroni')

Value

A dataframe with the list of multiple-testing adjusted statistically significant combinations along with quantitative measures (frequencies, p-values etc) that support the findings.

Author(s)

Vijay Kumar Pounraja

Examples

```
compare_expected_vs_observed(boolean_input_df, 2, 10, 0.25, 0.05,
                              input_format = 'Input_', adj_pval_type = 'BH')
```

custom_left_join	<i>Perform successive left joins to fetch information about the constituent elements of the combinations</i>
------------------	--

Description

Fetching the frequency of multiple individual elements that make up the combinations of varying length and hence varying variable names or to join two similar data frames using identical variable names necessitates this function that supplements and joins data based on the length of the combinations.

Usage

```
custom_left_join(
  left_df,
  right_df,
  combo_length = combo_length,
  diff_colnames = diff_colnames
)
```

Arguments

left_df The data frame with information about the combinations
 right_df The data frame with information either about the combinations or their constituent elements

combo_length	The length of the combinations specified by the user used to determine the number of successive joins to attempt
diff_colnames	Indicator that specifies if the joins are to be made based on same or different column names

Value

An output dataframe with the results of the join operation

Author(s)

Vijay Kumar Pounraja

input_list	<i>A list of 50 random input variables</i>
------------	--

Description

A list of 50 random input variables

Usage

```
input_list
```

Format

A list of 50 random input variables:

run_apriori_freqitems	<i>Generate frequent items using the apriori algorithm</i>
-----------------------	--

Description

This function takes in a factorized Boolean matrix and generate frequent itemsets that meet all the user provided criteria provided by the calling function.

Usage

```
run_apriori_freqitems(
  apriori_input_df,
  combo_length,
  support_threshold,
  input_colname_list,
  confidence_threshold = confidence_threshold,
  include_output_ind = include_output_ind,
  output_colname_list = output_colname_list
)
```

Arguments

apriori_input_df	An input factorized Boolean dataframe with multiple input and outcome variables
combo_length	The length of the combinations specified by the user
support_threshold	Minimum support value calculated based on the minimum absolute observed frequency threshold specified by the user
input_colname_list	A list of column names that identify the input variables
confidence_threshold	Minimum confidence threshold specified by the user
include_output_ind	Specifies if the outcome variables must also be made part of the analysis using the algorithm
output_colname_list	A list of column names that identify the outcome variables

Details

This is a function leveraged by few of the four main methods available to the users.

Value

A list of frequent item sets that meet all the constraints supplied to the apriori algorithm

Author(s)

Vijay Kumar Pounraja

run_apriori_rules	<i>Generate rules using the apriori algorithm</i>
-------------------	---

Description

This function takes in a factorized Boolean matrix and generate rules that meet all the user provided criteria while restricting the RHS of the rule based on the list of variables allowed in RHS provided by the calling function.

Usage

```
run_apriori_rules(
  apriori_input_df,
  combo_length,
  support_threshold,
  input_colname_list,
  confidence_threshold = confidence_threshold,
  output_colname_list = output_colname_list
)
```

Arguments

`apriori_input_df` An input factorized Boolean dataframe with multiple input and outcome variables

`combo_length` The length of the combinations specified by the user

`support_threshold` Minimum support value calculated based on the minimum absolute observed frequency threshold specified by the user

`input_colname_list` A list of column names that identify the input variables

`confidence_threshold` Minimum confidence threshold specified by the user

`output_colname_list` Optional | A list of column names that identify the outcome variables

Details

This is a function leveraged by few of the four main methods available to the users.

Value

A list of rules that meet all the constraints supplied to the apriori algorithm

Author(s)

Vijay Kumar Pounraja

run_apriori_rules_inout_simult

Generate rules using the apriori algorithm

Description

This function takes in a factorized Boolean matrix and generate rules that meet all the user provided criteria while allowing the outcome variables to be part of either LHS or RHS of the rules but restricting the input variables to the LHS of the rules.

Usage

```
run_apriori_rules_inout_simult(  
    apriori_input_df,  
    combo_length,  
    support_threshold,  
    input_colname_list,  
    output_colname_list = output_colname_list  
)
```

Arguments

`apriori_input_df` An input factorized Boolean dataframe with multiple input and outcome variables

`combo_length` The length of the combinations specified by the user

`support_threshold` Minimum support value calculated based on the minimum absolute observed frequency threshold specified by the user

`input_colname_list` A list of column names that identify the input variables

`output_colname_list` Optional | A list of column names that identify the outcome variables

Details

This is a function leveraged by few of the four main methods available to the users.

Value

A list of rules that meet all the constraints supplied to the apriori algorithm

Author(s)

Vijay Kumar Pounraja

run_apriori_rules_modifiers

Generate rules using the apriori algorithm

Description

This function takes in a factorized Boolean matrix and generate rules that meet all the user provided criteria while restricting the RHS of the rule based on the list of variables allowed in RHS provided by the calling function.

Usage

```
run_apriori_rules_modifiers(  
  apriori_input_df,  
  combo_length,  
  support_threshold,  
  input_colname_list,  
  output_colname_list = output_colname_list  
)
```

Arguments

`apriori_input_df` An input factorized Boolean dataframe with multiple input and outcome variables

`combo_length` The length of the combinations specified by the user

`support_threshold` Minimum support value calculated based on the minimum absolute observed frequency threshold specified by the user

`input_colname_list` A list of column names that identify the input variables

`output_colname_list` Optional | A list of column names that identify the outcome variables

Details

This is a function leveraged by few of the four main methods available to the users.

Value

A list of rules that meet all the constraints supplied to the apriori algorithm

Author(s)

Vijay Kumar Pounraja

run_apriori_w_sample_names

Generate frequent items along with the names of supporting observations using the apriori algorithm

Description

This function takes in a factorized Boolean matrix and generate frequent item sets that meet all the user provided criteria provided by the calling function. This function includes in it's output the identifiers of observations that support each significant combination.

Usage

```
run_apriori_w_sample_names(  
  apriori_input_df,  
  combo_length,  
  support_threshold,  
  input_colname_list,  
  input_sample_list,  
  confidence_threshold = confidence_threshold,  
  include_output_ind = include_output_ind,  
  output_colname_list = output_colname_list  
)
```

Arguments

apriori_input_df	An input factorized Boolean dataframe with multiple input and outcome variables
combo_length	The length of the combinations specified by the user
support_threshold	Minimum support value calculated based on the minimum absolute observed frequency threshold specified by the user
input_colname_list	A list of column names that identify the input variables
input_sample_list	A list of row names that identify the samples/observations
confidence_threshold	Minimum confidence threshold specified by the user
include_output_ind	Specifies if the outcome variables must also be made part of the analysis using the algorithm
output_colname_list	A list of column names that identify the outcome variables

Details

This is a function leveraged by few of the four main methods available to the users.

Value

A list of frequent item sets that meet all the constraints supplied to the apriori algorithm

Author(s)

Vijay Kumar Pounraja

Index

* datasets

- boolean_input_df, [3](#)
- boolean_input_mult_df, [17](#)
- input_list, [37](#)

analyze_in_out_simultaneity, [2](#)

boolean_input_df, [3](#)
boolean_input_mult_df, [17](#)

compare_enrichment, [31](#)
compare_enrichment_depletion, [32](#)
compare_enrichment_modifiers, [34](#)
compare_expected_vs_observed, [35](#)
custom_left_join, [36](#)

input_list, [37](#)

run_apriori_freqitems, [37](#)
run_apriori_rules, [38](#)
run_apriori_rules_inout_simult, [39](#)
run_apriori_rules_modifiers, [40](#)
run_apriori_w_sample_names, [41](#)