

Package ‘hSDM’

October 13, 2022

Type Package

Title Hierarchical Bayesian Species Distribution Models

Version 1.4.1

Date 2019-05-12

Imports coda

Suggests knitr, raster, sp, rmarkdown, bookdown

Maintainer Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

Description User-friendly and fast set of functions for estimating parameters of hierarchical Bayesian species distribution models (Latimer et al. 2006 <[doi:10.1890/04-0609](https://doi.org/10.1890/04-0609)>). Such models allow interpreting the observations (occurrence and abundance of a species) as a result of several hierarchical processes including ecological processes (habitat suitability, spatial dependence and anthropogenic disturbance) and observation processes (species detectability). Hierarchical species distribution models are essential for accurately characterizing the environmental response of species, predicting their probability of occurrence, and assessing uncertainty in the model results.

License GPL-3 | file LICENSE

URL <https://ecology.ghislainv.fr/hSDM>,
<https://github.com/ghislainv/hSDM>

BugReports <https://github.com/ghislainv/hSDM/issues>

LazyLoad yes

Encoding UTF-8

RoxygenNote 6.1.1

VignetteBuilder knitr

NeedsCompilation yes

Author Ghislain Vieilledent [aut, cre]
(<<https://orcid.org/0000-0002-1685-4997>>),
Matthieu Autier [ctb],
Alan E. Gelfand [ctb],
Jérôme Guélat [ctb],
Marc Kéry [ctb],

Andrew M. Latimer [ctb],
 Cory Merow [ctb],
 Frédéric Mortier [ctb],
 John A. Silander Jr. [ctb],
 Adam M. Wilson [ctb],
 Shanshan Wu [ctb],
 CIRAD [cph, fnd]

Repository CRAN

Date/Publication 2019-05-12 23:30:09 UTC

R topics documented:

hSDM-package	2
altitude	3
cfr.env	4
data.Kery2010	5
datacells.Latimer2006	6
frogs	7
hSDM.binomial	8
hSDM.binomial.iCAR	11
hSDM.Nmixture	18
hSDM.Nmixture.iCAR	23
hSDM.Nmixture.K	32
hSDM.poisson	37
hSDM.poisson.iCAR	40
hSDM.siteocc	47
hSDM.siteocc.iCAR	51
hSDM.ZIB	60
hSDM.ZIB.iCAR	64
hSDM.ZIB.iCAR.alteration	71
hSDM.ZIP	79
hSDM.ZIP.iCAR	83
hSDM.ZIP.iCAR.alteration	90
logit	98
neighbors.Latimer2006	99
punc10	100
Index	101

Description

hSDM is an R package for estimating parameters of hierarchical Bayesian species distribution models. Such models allow interpreting the observations (occurrence and abundance of a species) as a result of several hierarchical processes including ecological processes (habitat suitability, spatial dependence and anthropogenic disturbance) and observation processes (species detectability). Hierarchical species distribution models are essential for accurately characterizing the environmental response of species, predicting their probability of occurrence, and assessing uncertainty in the model results.

Details

Package:	hSDM
Type:	Package
Version:	1.3
Date:	2013-10-15
License:	GPL-3
LazyLoad:	yes

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>
Cory Merow <cory.merow@gmail.com>
Jérôme Guélat <jerome.guelat@vogelwarte.ch>
Andrew M. Latimer <amlatimer@ucdavis.edu>
Marc Kéry <marc.kery@vogelwarte.ch>
Alan E. Gelfand <alan@stat.duke.edu>
Adam M. Wilson <adam.wilson@yale.edu>
Frédéric Mortier <frederic.mortier@cirad.fr>
John A. Silander Jr. <john.silander@uconn.edu>

altitude

Virtual altitudinal data

Description

Data frame with virtual altitudinal data. The data frame is used in the examples of the hSDM package vignette to derive an altitude raster determining species habitat suitability.

Usage

altitude

Format

altitude is a data frame with 2500 observations (50 x 50 cells) and 3 variables:

x coordinates of the center of the cell on the x axis

y coordinates of the center of the cell on the y axis

altitude altitude (m)

cfr.env

Environmental data for South Africa's Cap Floristic Region

Description

Data include environmental variables for 36909 one minute by one minute grid cells on the whole South Africa's Cap Floristic Region.

Usage

cfr.env

Format

cfr.env is a data frame with 36909 observations (cells) on the following six environmental variables.

lon longitude

lat latitude

min07 minimum temperature of the coldest month (July)

smdwin winter soil moisture days

fert3 moderately high fertility (percent of grid cell)

ph1 acidic soil (percent of grid cell)

text1 fine soil texture (percent of grid cell)

text2 moderately fine soil texture (percent of grid cell)

Source

Cory Merow's personal data

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

`data.Kery2010`*Count data for the Willow tit (from Kéry and Royle 2010)*

Description

Repeated count data for the Willow tit (*Poecile montanus*, a pesserine bird) in Switzerland on the period 1999-2003. Data come from the Swiss national breeding bird survey MHB (Monitoring Häufige Brutvögel).

Usage`data.Kery2010`**Format**

`data.Kery2010` is a data frame with 264 observations (1 km² quadrats) and the following 10 variables.

`coordx` quadrat x coordinate

`coordy` quadrat y coordinate

`elevation` mean quadrat elevation (m)

`forest` quadrat forest cover (in %)

`count1` count for survey 1

`count2` count for survey 2

`count3` count for survey 3

`juldate1` Julian date of survey 1

`juldate2` Julian date of survey 2

`juldate3` Julian date of survey 3

Source

Kéry and Royle, 2010, *Journal of Animal Ecology*, 79, 453-461.

References

Kéry, M. and Andrew Royle, J. 2010. Hierarchical modelling and estimation of abundance and population trends in metapopulation designs. *Journal of Animal Ecology*, 79, 453-461.

datacells.Latimer2006 *Data of presence-absence (from Latimer et al. 2006)*

Description

Data come from a small region including 476 one minute by one minute grid cells. This region is a small corner of South Africa's Cape Floristic Region, and includes very high plant species diversity and a World Biosphere Reserve. The data frame can be used as an example for several functions in the hSDM package.

Usage

```
datacells.Latimer2006
```

Format

datacells.Latimer2006 is a data frame with 476 observations (cells) on the following 9 variables.

y the number of times the species was observed to be present in each cell

n the number of visits or sample locations in each cell (which can be zero)

rough elevational range or "roughness"

julmint July minimum temperature

pptcv interannual variation in precipitation

smdsum summer soil moisture days

evi enhanced vegetation or "greenness" index

ph1 percent acidic soil

num number of neighbors of each cell, this is a sparse representation of the adjacency matrix for the subregion.

Source

Latimer et al. (2006) *Ecological Applications*, Appendix B

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

frogs

Counts of the number of frogs in a water body

Description

Counts of the number of frogs in ponds of the Canton Aargau, Switzerland.

Usage

```
data(frogs)
```

Format

A data frame with 481 observations on the following 10 variables.

count1 number of counted frogs during the first visit

count2 number of counted frogs during the second visit

elevation elevation, meters above sea level

year year

fish presence of fish (1 = present, 0 = absent)

waterarea area of the water body in square meters

vegetation indicator of vegetation (1 = vegetation present, 0 = no vegetation present)

pondid name of the pond, corresponds to observation id

x x coordinate

y y coordinate

Details

The amphibian monitoring program started in 1999 and is mainly aimed at surveying population trends of endangered amphibian species. Every year, about 30 water bodies in two or three randomly selected priority areas (out of ten priority areas of high amphibian diversity) are surveyed. Additionally, a random selection of water bodies that potentially are suitable for one of the endangered amphibian species but that do not belong to the priority areas were surveyed. Each water body is surveyed by single trained volunteer during two nocturnal visits per year. Volunteers recorded anurans by walking along the water's edge with precise rules for the duration of a survey taking account of the size of the surveyed water body and noting visual encounters and calls. As far as possible, encountered individuals of the Pelophylax-complex were identified as Marsh Frog (*Pelophylax ridibundus*), Pool Frog (*P. lessonaea*) or hybrids (*P. esculentus*) based on morphological characteristics or based on their calls. In the given data set, however, these three taxa are lumped together.

Source

The data is provided by Isabelle Floess, Landschaft und Gewaesser, Kanton Aargau.

References

Schmidt, B. R., 2005: Monitoring the distribution of pond-breeding amphibians, when species are detected imperfectly. - Aquatic conservation: marine and freshwater ecosystems 15: 681-692.

Tanadini, L. G.; Schmidt, B. R., 2011: Population size influences amphibian detection probability: implications for biodiversity monitoring programs. - Plos One 6: e28244.

Examples

```
data(frogs)
```

```
hSDM.binomial
```

```
Binomial logistic regression model
```

Description

The hSDM.binomial function performs a Binomial logistic regression in a Bayesian framework. The function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of model's parameters.

Usage

```
hSDM.binomial(presences, trials, suitability, data,
suitability.pred = NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, mubeta = 0, Vbeta = 1e+06, seed = 1234, verbose = 1, save.p
= 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_n should be superior or equal to y_n , the number of successes for observation n . If $t_n = 0$, then $y_n = 0$.
suitability	A one-sided formula of the form ' $\sim x_1 + \dots + x_p$ ' with p terms specifying the explicative variables for the suitability process of the model.
data	A data frame containing the model's explicative variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.

beta.start	Starting values for beta parameters of the suitability process. If beta.start takes a scalar value, then that value will serve for all of the betas.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the presence or absence of the species is explained by habitat suitability.

Ecological process:

$$y_i \sim \text{Binomial}(\theta_i, t_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \beta, t_i))$, is also provided.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.binomial()
# Example with simulated data
#####

#####
##= Load libraries
library(hSDM)

#####
##= Data simulation

#= Number of sites
nsite <- 200

#= Set seed for repeatability
seed <- 1234

#= Number of visits associated to each site
set.seed(seed)
visits<- rpois(nsite,3)
visits[visits==0] <- 1

#= Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
logit.theta <- X %*% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
Y <- rbinom(nsite,visits,theta)
```

```

#=# Data-sets
data.obs <- data.frame(Y,visits,x1,x2)

#=====
#=# Site-occupancy model

mod.hSDM.binomial <- hSDM.binomial(presences=data.obs$Y,
                                   trials=data.obs$visits,
                                   suitability=~x1+x2,
                                   data=data.obs,
                                   suitability.pred=NULL,
                                   burnin=1000, mcmc=1000, thin=1,
                                   beta.start=0,
                                   mubeta=0, Vbeta=1.0E6,
                                   seed=1234, verbose=1,
                                   save.p=0)

#=====
#=# Outputs

#=# Parameter estimates
summary(mod.hSDM.binomial$mcmc)
pdf(file="Posteriors_hSDM.binomial.pdf")
plot(mod.hSDM.binomial$mcmc)
dev.off()

#=# glm resolution to compare
mod.glm <- glm(cbind(Y,visits-Y)~x1+x2,family="binomial",data=data.obs)
summary(mod.glm)

#=# Predictions
summary(mod.hSDM.binomial$theta.latent)
summary(mod.hSDM.binomial$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.binomial$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.binomial.iCAR *Binomial logistic regression model with CAR process*

Description

The `hSDM.binomial.iCAR` function performs a Binomial logistic regression model in a hierarchical Bayesian framework. The suitability process includes a spatial correlation process. The spatial correlation is modelled using an intrinsic CAR model. The `hSDM.binomial.iCAR` function calls

a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.binomial.iCAR(presences, trials, suitability,
spatial.entity, data, n.neighbors, neighbors, suitability.pred=NULL,
spatial.entity.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, Vrho.start, mubeta = 0, Vbeta = 1e+06, priorVrho =
"1/Gamma", shape = 0.5, rate = 0.0005, Vrho.max=1000, seed = 1234,
verbose = 1, save.rho = 0, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.

Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the presence or absence of the species is explained by habitat suitability. The ecological process includes an intrinsic conditional autoregressive (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$y_i \sim \text{Binomial}(\theta_i, t_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Lichstein, J. W.; Simons, T. R.; Shriver, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.
- Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```

## Not run:

#####
# hSDM.binomial.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p), ncol=p)%*%D+rep(mu, rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
}

```

```

    A[i,adj[c(index.start:index.end)]] <- 1
    index.start <- index.end+1
  }

  #= Spatial effects
  Vrho.target <- 5
  d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
  Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
  covrho <- Vrho.target*solve(Q) # Covariance of rhos
  set.seed(seed)
  rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
  rho <- rho-mean(rho) # Centering rhos on zero

  #= Raster and plot spatial effects
  r.rho <- rasterFromXYZ(cbind(coords,rho))
  plot(r.rho)

  #= Sample the observation sites in the landscape
  nsite <- 250
  set.seed(seed)
  x.coord <- runif(nsite,0,xLand)
  set.seed(2*seed)
  y.coord <- runif(nsite,0,yLand)
  sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
  cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

  #= Number of visits associated to each observation point
  set.seed(seed)
  visits <- rpois(nsite,3)
  visits[visits==0] <- 1

  #= Ecological process (suitability)
  set.seed(seed)
  x1 <- rnorm(nsite,0,1)
  set.seed(2*seed)
  x2 <- rnorm(nsite,0,1)
  X <- cbind(rep(1,nsite),x1,x2)
  beta.target <- c(-1,1,-1)
  logit.theta <- X %*% beta.target + rho[cells]
  theta <- inv.logit(logit.theta)
  set.seed(seed)
  Y <- rbinom(nsite,visits,theta)

  #= Relative importance of spatial random effects
  RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
  RImp

  #= Data-sets
  data.obs <- data.frame(Y,visits,x1,x2,cell=cells)

  #=====
  #== Site-occupancy model

```

```

Start <- Sys.time() # Start the clock
mod.hSDM.binomial.iCAR <- hSDM.binomial.iCAR(presences=data.obs$Y,
                                             trials=data.obs$visits,
                                             suitability=~x1+x2,
                                             spatial.entity=data.obs$cell,
                                             data=data.obs,
                                             n.neighbors=n.neighbors,
                                             neighbors=adj,
                                             suitability.pred=NULL,
                                             spatial.entity.pred=NULL,
                                             burnin=5000, mcmc=5000, thin=5,
                                             beta.start=0,
                                             Vrho.start=1,
                                             mubeta=0, Vbeta=1.0E6,
                                             priorVrho="1/Gamma",
                                             shape=0.5, rate=0.0005,
                                             seed=1234, verbose=1,
                                             save.rho=1, save.p=0)

Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

#= Computation time
Time.hSDM

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.binomial.iCAR$mcmc)
pdf("Posteriors_hSDM.binomial.iCAR.pdf")
plot(mod.hSDM.binomial.iCAR$mcmc)
dev.off()

#= Predictions
summary(mod.hSDM.binomial.iCAR$theta.latent)
summary(mod.hSDM.binomial.iCAR$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.binomial.iCAR$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

#= Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.binomial.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.binomial.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated

```

```

plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.Nmixture

N-mixture model

Description

The hSDM.Nmixture function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Poisson* suitability process (referring to environmental suitability explaining abundance) and a *Binomial* observability process (referring to various ecological and methodological issues explaining species detection). The hSDM.Nmixture function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.Nmixture(# Observations
              counts, observability, site, data.observability,
              # Habitat
              suitability, data.suitability,
              # Predictions
              suitability.pred = NULL,
              # Chains
              burnin = 5000, mcmc = 10000, thin = 10,
              # Starting values
              beta.start,
              gamma.start,
              # Priors
              mubeta = 0, Vbeta = 1.0E6,
              mugamma = 0, Vgamma = 1.0E6,
              # Various
              seed = 1234, verbose = 1,
              save.p = 0, save.N = 0)

```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.

verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.
save.N	A switch (0,1) which determines whether or not the sampled values for the latent count variable N for each observed cells are saved. Default is 0: the mean (rounded to the closest integer) is computed and returned in the N.pred vector. Be careful, setting save.N to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the abundance of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$N_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta$$

Observation process:

$$y_{it} \sim \text{Binomial}(N_i, \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
N.pred	If save.N is set to 0 (default), N.pred is the posterior mean (rounded to the closest integer) of the latent count variable N for each observed cell. If save.N is set to 1, N.pred is an mcmc object with sampled values of the latent count variable N for each observed cell.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Royle, J. A. (2004) N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60, 108-115.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.Nmixture()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of observation sites
nsite <- 200

# Set seed for repeatability
seed <- 4321

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1) # Target parameters
log.lambda <- X %*% beta.target
lambda <- exp(log.lambda)
set.seed(seed)
N <- rpois(nsite,lambda)

# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
```

```

visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

#= Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1) # Target parameters
logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,N[sites],delta)

#= Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2)

#=====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.Nmixture <- hSDM.Nmixture(# Observations
  counts=data.obs$Y,
  observability=~w1+w2,
  site=data.obs$site,
  data.observability=data.obs,
  # Habitat
  suitability=~x1+x2,
  data.suitability=data.suit,
  # Predictions
  suitability.pred=NULL,
  # Chains
  burnin=5000, mcmc=5000, thin=5,
  # Starting values
  beta.start=0,
  gamma.start=0,
  # Priors
  mubeta=0, Vbeta=1.0E6,
  mugamma=0, Vgamma=1.0E6,
  # Various
  seed=1234, verbose=1,
  save.p=0, save.N=1)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

#= Computation time
Time.hSDM

```

```

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.Nmixture$mcmc)
pdf(file="Posteriors_hSDM.Nmixture.pdf")
plot(mod.hSDM.Nmixture$mcmc)
dev.off()

#= Predictions
summary(mod.hSDM.Nmixture$lambda.latent)
summary(mod.hSDM.Nmixture$delta.latent)
summary(mod.hSDM.Nmixture$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.Nmixture$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

#= MCMC for latent variable N
pdf(file="MCMC_N.pdf")
plot(mod.hSDM.Nmixture$N.pred)
dev.off()

#= Check that Ns are correctly estimated
M <- as.matrix(mod.hSDM.Nmixture$N.pred)
N.est <- apply(M,2,mean)
Y.by.site <- tapply(data.obs$Y,data.obs$site,mean) # Mean by site
pdf(file="Check_N.pdf",width=10,height=5)
par(mfrow=c(1,2))
plot(Y.by.site, N.est) ## More individuals are expected (N > Y) due to detection process
abline(a=0,b=1,col="red")
plot(N, N.est) ## N are well estimated
abline(a=0,b=1,col="red")
cor(N, N.est) ## Very close to 1
dev.off()

## End(Not run)

```

hSDM.Nmixture.iCAR *N-mixture model with CAR process*

Description

The `hSDM.Nmixture.iCAR` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Poisson* suitability process (referring to environmental suitability explaining abundance) which takes into account the spatial dependence of the

observations, and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The `hSDM.Nmixture.iCAR` function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.Nmixture.iCAR(# Observations
                   counts, observability, site, data.observability,
                   # Habitat
                   suitability, data.suitability,
                   # Spatial structure
                   spatial.entity,
                   n.neighbors, neighbors,
                   # Predictions
                   suitability.pred = NULL, spatial.entity.pred = NULL,
                   # Chains
                   burnin = 5000, mcmc = 10000, thin = 10,
                   # Starting values
                   beta.start,
                   gamma.start,
                   Vrho.start,
                   # Priors
                   mubeta = 0, Vbeta = 1.0E6,
                   mugamma = 0, Vgamma = 1.0E6,
                   priorVrho = "1/Gamma",
                   shape = 0.5, rate = 0.0005,
                   Vrho.max = 1000,
                   # Various
                   seed = 1234, verbose = 1,
                   save.rho = 0, save.p = 0, save.N = 0)
```

Arguments

<code>counts</code>	A vector indicating the count (or abundance) for each observation.
<code>observability</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
<code>site</code>	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
<code>data.observability</code>	A data frame containing the model's variables for the observability process.
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
<code>data.suitability</code>	A data frame containing the model's variables for the suitability process. The number of rows of the data frame should be equal to the total number of spatial entities.

<code>spatial.entity</code>	A vector (of length 'n.site') indicating the spatial entity identifier for each site. Values must be between 1 and the total number of spatial entities. Several sites can be found in one spatial entity. A spatial entity can be a raster cell for example.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the data frame <code>data.suitability</code> for observations is used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
<code>mugamma</code>	Means of the Normal priors for the γ parameters of the observability process. <code>mugamma</code> must be either a scalar or a p -length vector. If <code>mugamma</code> takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
<code>Vgamma</code>	Variances of the Normal priors for the γ parameters of the observability process. <code>Vgamma</code> must be either a scalar or a p -length vector. If <code>Vgamma</code> takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.
save.N	A switch (0,1) which determines whether or not the sampled values for the latent count variable N for each observed cells are saved. Default is 0: the mean (rounded to the closest integer) is computed and returned in the N.pred vector. Be careful, setting save.N to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the abundance of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the abundance of the species at one site depends on the abundance of the species on neighboring sites.

Ecological process:

$$N_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta + \rho_i$$

ρ_i : spatial random effect

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_i \sim \text{Normal}(\mu_i, V_\rho/n_i)$$

μ_i : mean of $\rho_{i'}$ in the neighborhood of i .

V_ρ : variance of the spatial random effects.

n_i : number of neighbors for spatial entity i .

Observation process:

$$y_{it} \sim \text{Binomial}(N_i, \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
N.pred	If save.N is set to 0 (default), N.pred is the posterior mean (rounded to the closest integer) of the latent count variable N for each observed cell. If save.N is set to 1, N.pred is an mcmc object with sampled values of the latent count variable N for each observed cell.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Royle, J. A. (2004) N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60, 108-115.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```

## Not run:

#####
# hSDM.Nmixture.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p), ncol=p)%*%D+rep(mu, rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 4321

# Landscape
xLand <- 20
yLand <- 20
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {

```

```

    index.end <- index.start+n.neighbors[i]-1
    A[i,adj[c(index.start:index.end)]] <- 1
    index.start <- index.end+1
  }

  #= Spatial effects
  Vrho.target <- 5
  d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
  Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
  covrho <- Vrho.target*solve(Q) # Covariance of rhos
  set.seed(seed)
  rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
  rho <- rho-mean(rho) # Centering rhos on zero

  #= Raster and plot spatial effects
  r.rho <- rasterFromXYZ(cbind(coords,rho))
  plot(r.rho)

  #= Sample the observation sites in the landscape
  nsite <- 150
  set.seed(seed)
  x.coord <- runif(nsite,0,xLand)
  set.seed(2*seed)
  y.coord <- runif(nsite,0,yLand)
  sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
  cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

  #= Ecological process (suitability)
  set.seed(seed)
  x1 <- rnorm(nsite,0,1)
  set.seed(2*seed)
  x2 <- rnorm(nsite,0,1)
  X <- cbind(rep(1,nsite),x1,x2)
  beta.target <- c(-1,1,-1)
  log.lambda <- X %*% beta.target + rho[cells]
  lambda <- exp(log.lambda)
  set.seed(seed)
  N <- rpois(nsite,lambda)

  #= Relative importance of spatial random effects
  RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
  RImp

  #= Number of visits associated to each observation point
  set.seed(seed)
  visits <- rpois(nsite,3)
  visits[visits==0] <- 1
  # Vector of observation points
  sites <- vector()
  for (i in 1:nsite) {
    sites <- c(sites,rep(i,visits[i]))
  }

```

```

# Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1)
logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,N[sites],delta)

# Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2,cell=cells)

#====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.Nmixture.iCAR <- hSDM.Nmixture.iCAR(# Observations
      counts=data.obs$Y,
      observability=~w1+w2,
      site=data.obs$site,
      data.observability=data.obs,
      # Habitat
      suitability=~x1+x2, data.suitability=data.suit,
      # Spatial structure
      spatial.entity=data.suit$cell,
      n.neighbors=n.neighbors, neighbors=adj,
      # Predictions
      suitability.pred=NULL,
      spatial.entity.pred=NULL,
      # Chains
      burnin=5000, mcmc=5000, thin=5,
      # Starting values
      beta.start=0,
      gamma.start=0,
      Vrho.start=1,
      # Priors
      mubeta=0, Vbeta=1.0E6,
      mugamma=0, Vgamma=1.0E6,
      priorVrho="1/Gamma",
      shape=0.5, rate=0.005,
      Vrho.max=10,
      # Various
      seed=1234, verbose=1,
      save.rho=1, save.p=0, save.N=1)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# Computation time
Time.hSDM

```

```

#=====
#== Outputs

# Parameter estimates
summary(mod.hSDM.Nmixture.iCAR$mcmc)
pdf(file="Posteriors_hSDM.Nmixture.iCAR.pdf")
plot(mod.hSDM.Nmixture.iCAR$mcmc)
dev.off()

# Predictions
summary(mod.hSDM.Nmixture.iCAR$lambda.latent)
summary(mod.hSDM.Nmixture.iCAR$delta.latent)
summary(mod.hSDM.Nmixture.iCAR$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.Nmixture.iCAR$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

# MCMC for latent variable N
pdf(file="MCMC_N.pdf")
plot(mod.hSDM.Nmixture.iCAR$N.pred)
dev.off()

# Check that Ns are corretly estimated
M <- as.matrix(mod.hSDM.Nmixture.iCAR$N.pred)
N.est <- apply(M,2,mean)
Y.by.site <- tapply(data.obs$Y,data.obs$site,mean) # Mean by site
pdf(file="Check_N.pdf",width=10,height=5)
par(mfrow=c(1,2))
plot(Y.by.site, N.est) ## More individuals are expected (N > Y) due to detection process
abline(a=0,b=1,col="red")
plot(N, N.est) ## N are well estimated
abline(a=0,b=1,col="red")
cor(N, N.est) ## Very close to 1
dev.off()

# Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.Nmixture.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.Nmixture.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))

```

```

plot(rho[-Levels.cells],rho.pred[-Levels.cells],
     xlim=range(rho),
     ylim=range(rho),
     xlab="rho target",
     ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.Nmixture.K

N-mixture model with K, the maximal theoretical abundance

Description

The hSDM.Nmixture.K function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Poisson* suitability process (referring to environmental suitability explaining abundance) and a *Binomial* observability process (referring to various ecological and methodological issues explaining species detection). The hSDM.Nmixture.K function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters. K is the maximal theoretical abundance sensus Royle 2004.

Usage

```

hSDM.Nmixture.K(# Observations
                counts, observability, site, data.observability,
                # Habitat
                suitability, data.suitability,
                # Predictions
                suitability.pred = NULL,
                # Chains
                burnin = 5000, mcmc = 10000, thin = 10,
                # Starting values
                beta.start,
                gamma.start,
                # Priors
                mubeta = 0, Vbeta = 1.0E6,
                mugamma = 0, Vgamma = 1.0E6,
                # Various
                K,
                seed = 1234, verbose = 1,
                save.p = 0)

```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

K	Maximal theoretical abundance sensus Royle 2004. It corresponds to the integer upper index of integration for N-mixture. This should be set high enough so that it does not affect the parameter estimates. Note that computation time will increase with K.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the abundance of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$N_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta$$

Observation process:

$$y_{it} \sim \text{Binomial}(N_i, \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Royle, J. A. (2004) N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60, 108-115.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.Nmixture.K()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of observation sites
nsite <- 200

# Set seed for repeatability
seed <- 4321

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1) # Target parameters
log.lambda <- X %*% beta.target
lambda <- exp(log.lambda)
set.seed(seed)
N <- rpois(nsite,lambda)

# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
```

```

visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

#= Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1) # Target parameters
logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,N[sites],delta)

#= Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2)

#=====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.Nmixture.K <- hSDM.Nmixture.K(# Observations
  counts=data.obs$Y,
  observability=~w1+w2,
  site=data.obs$site,
  data.observability=data.obs,
  # Habitat
  suitability=~x1+x2,
  data.suitability=data.suit,
  # Predictions
  suitability.pred=NULL,
  # Chains
  burnin=5000, mcmc=5000, thin=5,
  # Starting values
  beta.start=0,
  gamma.start=0,
  # Priors
  mubeta=0, Vbeta=1.0E6,
  mugamma=0, Vgamma=1.0E6,
  # Various
  K=max(data.obs$Y)*2,
  seed=1234, verbose=1,
  save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

#= Computation time

```

```

Time.hSDM

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.Nmixture.K$mcmc)
pdf(file="Posteriors_hSDM.Nmixture.K.pdf")
plot(mod.hSDM.Nmixture.K$mcmc)
dev.off()

#= Predictions
summary(mod.hSDM.Nmixture.K$lambda.latent)
summary(mod.hSDM.Nmixture.K$delta.latent)
summary(mod.hSDM.Nmixture.K$lambda.pred)
pdf(file="Pred-Init.K.pdf")
plot(lambda,mod.hSDM.Nmixture.K$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.poisson

Poisson log regression model

Description

The hSDM.poisson function performs a Poisson log regression in a Bayesian framework. The function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of model's parameters.

Usage

```

hSDM.poisson(counts, suitability, data, suitability.pred = NULL,
burnin = 5000, mcmc = 10000, thin = 10, beta.start, mubeta = 0, Vbeta =
1e+06, seed = 1234, verbose = 1, save.p = 0)

```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
suitability	A one-sided formula of the form ' $\sim x_1 + \dots + x_p$ ' with p terms specifying the explicative covariates for the suitability process of the model.
data	A data frame containing the model's explicative variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.

burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for beta parameters of the suitability process. If beta.start takes a scalar value, then that value will serve for all of the betas.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model the abundance of the species as a function of environmental variables.

Ecological process:

$$y_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, n_i \beta))$, is also provided.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.poisson()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of sites
nsite <- 200

# Set seed for repeatability
seed <- 1234

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
log.lambda <- X %*% beta.target
lambda <- exp(log.lambda)
set.seed(seed)
Y <- rpois(nsite,lambda)

# Data-sets
```

```

data.obs <- data.frame(Y,x1,x2)

#####
#== Site-occupancy model

mod.hSDM.poisson <- hSDM.poisson(counts=data.obs$Y,
                                suitability=~x1+x2,
                                data=data.obs,
                                suitability.pred=NULL,
                                burnin=1000, mcmc=1000, thin=1,
                                beta.start=0,
                                mubeta=0, Vbeta=1.0E6,
                                seed=1234, verbose=1,
                                save.p=0)

#####
#== Outputs

# Parameter estimates
summary(mod.hSDM.poisson$mcmc)
pdf(file="Posteriors_hSDM.poisson.pdf")
plot(mod.hSDM.poisson$mcmc)
dev.off()

#== glm resolution to compare
mod.glm <- glm(Y~x1+x2,family="poisson",data=data.obs)
summary(mod.glm)

# Predictions
summary(mod.hSDM.poisson$lambda.latent)
summary(mod.hSDM.poisson$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.poisson$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.poisson.iCAR

Poisson log regression model with CAR process

Description

The hSDM.poisson.iCAR function performs a Poisson log regression in a hierarchical Bayesian framework. The suitability process includes a spatial correlation process. The spatial correlation is modelled using an intrinsic CAR model. The hSDM.poisson.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.poisson.iCAR(counts, suitability, spatial.entity, data,
n.neighbors, neighbors, suitability.pred=NULL, spatial.entity.pred=NULL,
burnin = 5000, mcmc = 10000, thin = 10, beta.start, Vrho.start, mubeta =
0, Vbeta = 1e+06, priorVrho = "1/Gamma", shape = 0.5, rate = 0.0005,
Vrho.max=1000, seed = 1234, verbose = 1, save.rho = 0, save.p = 0)
```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the neighbors vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.

Vbeta	Variations of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the abundance of the species is explained by habitat suitability. The ecological process includes an intrinsic conditional autoregressive (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$y_i \sim \text{Poisson}(\lambda_i, t_i)$$

$$\log(\lambda_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Lichstein, J. W.; Simons, T. R.; Shiner, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.
- Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.poisson.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
```

```

library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p),ncol=p)%*%D+rep(mu,rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

```

```

# = Raster and plot spatial effects
r.rho <- rasterFromXYZ(cbind(coords,rho))
plot(r.rho)

# = Sample the observation sites in the landscape
nsite <- 250
set.seed(seed)
x.coord <- runif(nsite,0,xLand)
set.seed(2*seed)
y.coord <- runif(nsite,0,yLand)
sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

# = Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
log.lambda <- X %*% beta.target + rho[cells]
lambda <- exp(log.lambda)
set.seed(seed)
Y <- rpois(nsite,lambda)

# = Relative importance of spatial random effects
RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
RImp

# = Data-sets
data.obs <- data.frame(Y,x1,x2,cell=cells)

# =====
# == Site-occupancy model

Start <- Sys.time() # Start the clock
mod.hSDM.poisson.iCAR <- hSDM.poisson.iCAR(counts=data.obs$Y,
                                           suitability=~x1+x2,
                                           spatial.entity=data.obs$cell,
                                           data=data.obs,
                                           n.neighbors=n.neighbors,
                                           neighbors=adj,
                                           suitability.pred=NULL,
                                           spatial.entity.pred=NULL,
                                           burnin=5000, mcmc=5000, thin=5,
                                           beta.start=0,
                                           Vrho.start=1,
                                           mubeta=0, Vbeta=1.0E6,
                                           priorVrho="1/Gamma",
                                           shape=0.5, rate=0.0005,
                                           seed=1234, verbose=1,
                                           save.rho=1, save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

```

```

# = Computation time
Time.hSDM

# =====
# == Outputs

# = Parameter estimates
summary(mod.hSDM.poisson.iCAR$mcmc)
pdf("Posteriors_hSDM.poisson.iCAR.pdf")
plot(mod.hSDM.poisson.iCAR$mcmc)
dev.off()

# = Predictions
summary(mod.hSDM.poisson.iCAR$lambda.latent)
summary(mod.hSDM.poisson.iCAR$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.poisson.iCAR$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

# = Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.poisson.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.poisson.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.siteocc	<i>Site occupancy model</i>
--------------	-----------------------------

Description

The `hSDM.siteocc` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) and a *Bernoulli* observability process (referring to various ecological and methodological issues explaining the species detection). The `hSDM.siteocc` function calls a Gibbs sampler written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.siteocc(# Observations
             presence, observability, site, data.observability,
             # Habitat
             suitability, data.suitability,
             # Predictions
             suitability.pred = NULL,
             # Chains
             burnin = 1000, mcmc = 1000, thin = 1,
             # Starting values
             beta.start,
             gamma.start,
             # Priors
             mubeta = 0, Vbeta = 1.0E6,
             mugamma = 0, Vgamma = 1.0E6,
             # Various
             seed = 1234, verbose = 1,
             save.p = 0)
```

Arguments

<code>presence</code>	A vector indicating the presence/absence for each observation.
<code>observability</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
<code>site</code>	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
<code>data.observability</code>	A data frame containing the model's variables for the observability process.
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
<code>data.suitability</code>	A data frame containing the model's variables for the suitability process.

suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Observation process:

$$y_{it} \sim \text{Bernoulli}(z_i * \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each site.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.siteocc()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation
```

```

# = Number of observation sites
nsite <- 200

# = Set seed for repeatability
seed <- 4321

# = Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1) # Target parameters
logit.theta <- X %>% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
Z <- rbinom(nsite,1,theta)

# = Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

# = Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1) # Target parameters
logit.delta <- W %>% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,1,delta*Z[sites])

# = Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2)

#====
#== Parameter inference with hSDM
#====

Start <- Sys.time() # Start the clock
mod.hSDM.siteocc <- hSDM.siteocc(# Observations
                                presence=data.obs$Y,
```

```

observability=~w1+w2,
site=data.obs$site,
data.observability=data.obs,
# Habitat
suitability=~x1+x2,
data.suitability=data.suit,
# Predictions
suitability.pred=NULL,
# Chains
burnin=2000, mcmc=2000, thin=2,
# Starting values
beta.start=0,
gamma.start=0,
# Priors
mubeta=0, Vbeta=1.0E6,
mugamma=0, Vgamma=1.0E6,
# Various
seed=1234, verbose=1, save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

#= Computation time
Time.hSDM

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.siteocc$mcmc)
pdf(file="Posteriors_hSDM.siteocc.pdf")
plot(mod.hSDM.siteocc$mcmc)
dev.off()

#= Predictions
summary(mod.hSDM.siteocc$theta.latent)
summary(mod.hSDM.siteocc$delta.latent)
summary(mod.hSDM.siteocc$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.siteocc$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

Description

The `hSDM.siteocc.iCAR` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, and a *Bernoulli* observability process (referring to various ecological and methodological issues explaining the species detection). The `hSDM.siteocc.iCAR` function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.siteocc.iCAR(# Observations
                  presence, observability, site, data.observability,
                  # Habitat
                  suitability, data.suitability,
                  # Spatial structure
                  spatial.entity,
                  n.neighbors, neighbors,
                  # Predictions
                  suitability.pred = NULL, spatial.entity.pred = NULL,
                  # Chains
                  burnin = 1000, mcmc = 1000, thin = 1,
                  # Starting values
                  beta.start,
                  gamma.start,
                  Vrho.start,
                  # Priors
                  mubeta = 0, Vbeta = 1.0E6,
                  mugamma = 0, Vgamma = 1.0E6,
                  priorVrho = "1/Gamma",
                  shape = 0.5, rate = 0.0005,
                  Vrho.max = 1000,
                  # Various
                  seed = 1234, verbose = 1,
                  save.rho = 0, save.p = 0)
```

Arguments

<code>presence</code>	A vector indicating the presence/absence for each observation.
<code>observability</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
<code>site</code>	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
<code>data.observability</code>	A data frame containing the model's variables for the observability process.
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.

<code>data.suitability</code>	A data frame containing the model's variables for the suitability process.
<code>spatial.entity</code>	A vector (of length 'n.site') indicating the spatial entity identifier for each site. Values must be between 1 and the total number of spatial entities. Several sites can be found in one spatial entity. A spatial entity can be a raster cell for example.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
<code>mugamma</code>	Means of the Normal priors for the γ parameters of the observability process. <code>mugamma</code> must be either a scalar or a p -length vector. If <code>mugamma</code> takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.

Vgamma	Variiances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_{it} \sim \text{Bernoulli}(z_i * \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each site.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.
- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Lichstein, J. W.; Simons, T. R.; Shriener, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.siteocc.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p), ncol=p)%*%D+rep(mu, rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
```

```

A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# = Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# = Raster and plot spatial effects
r.rho <- rasterFromXYZ(cbind(coords,rho))
plot(r.rho)

# = Sample the observation sites in the landscape
nsite <- 250
set.seed(seed)
x.coord <- runif(nsite,0,xLand)
set.seed(2*seed)
y.coord <- runif(nsite,0,yLand)
sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

# = Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
logit.theta <- X %*% beta.target + rho[cells]
theta <- inv.logit(logit.theta)
set.seed(seed)
Z <- rbinom(nsite,1,theta)

# = Relative importance of spatial random effects
RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
RImp

# = Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {

```

```

    sites <- c(sites,rep(i,visits[i]))
  }

  #= Observation process (detectability)
  nobs <- sum(visits)
  set.seed(seed)
  w1 <- rnorm(nobs,0,1)
  set.seed(2*seed)
  w2 <- rnorm(nobs,0,1)
  W <- cbind(rep(1,nobs),w1,w2)
  gamma.target <- c(-1,1,-1)
  logit.delta <- W %*% gamma.target
  delta <- inv.logit(logit.delta)
  set.seed(seed)
  Y <- rbinom(nobs,1,delta*Z[sites])

  #= Data-sets
  data.obs <- data.frame(Y,w1,w2,site=sites)
  data.suit <- data.frame(x1,x2,cell=cells)

  #=====
  #== Parameter inference with hSDM

  Start <- Sys.time() # Start the clock
  mod.hSDM.siteocc.iCAR <- hSDM.siteocc.iCAR(# Observations
      presence=data.obs$Y,
      observability=~w1+w2,
      site=data.obs$site,
      data.observability=data.obs,
      # Habitat
      suitability=~x1+x2, data.suitability=data.suit,
      # Spatial structure
      spatial.entity=data.suit$cell,
      n.neighbors=n.neighbors, neighbors=adj,
      # Predictions
      suitability.pred=NULL,
      spatial.entity.pred=NULL,
      # Chains
      burnin=10000, mcmc=5000, thin=5,
      # Starting values
      beta.start=0,
      gamma.start=0,
      Vrho.start=1,
      # Priors
      mubeta=0, Vbeta=1.0E6,
      mugamma=0, Vgamma=1.0E6,
      priorVrho="Uniform",
      Vrho.max=10,
      # Various
      seed=1234, verbose=1,
      save.rho=1, save.p=0)
  Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

```

```

#=# Computation time
Time.hSDM

#=====
#=# Outputs

#=# Parameter estimates
summary(mod.hSDM.siteocc.iCAR$mcmc)
pdf("Posteriors_hSDM.siteocc.iCAR.pdf")
plot(mod.hSDM.siteocc.iCAR$mcmc)
dev.off()

#=# Predictions
summary(mod.hSDM.siteocc.iCAR$theta.latent)
summary(mod.hSDM.siteocc.iCAR$delta.latent)
summary(mod.hSDM.siteocc.iCAR$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.siteocc.iCAR$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

#=# Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.siteocc.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.siteocc.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.ZIB

*ZIB (Zero-Inflated Binomial) model***Description**

The hSDM.ZIB function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB function calls a Gibbs sampler written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIB(presences, trials, suitability,
observability, data, suitability.pred=NULL, burnin = 5000, mcmc = 10000,
thin = 10, beta.start, gamma.start, mubeta = 0, Vbeta = 1e+06, mugamma =
0, Vgamma = 1e+06, seed = 1234, verbose = 1, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
data	A data frame containing the model's variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.

mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p-length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.

prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIB()
# Example with simulated data
#####

#####
#== Preamble
library(hSDM)

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Number of observations
nobs <- 1000

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
```

```

## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)

# Covariates for "suitability" process
set.seed(seed)
X1 <- rnorm(n=nobs,0,1)
set.seed(2*seed)
X2 <- rnorm(n=nobs,0,1)
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "observability" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta.1 <- X %%% beta.target
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation
trials[trials==0] <- 1
logit.theta.2 <- W %%% gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs,trials,theta.2)

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,trials,X1,X2)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,trials,X1,X2,W1,W2)

#=====
#== ZIB model

mod.hSDM.ZIB <- hSDM.ZIB(presences=Data$Y,
                        trials=Data$trials,
                        suitability=~X1+X2,
                        observability=~1, #=~1+W1+W2 if covariates
                        data=Data,
                        suitability.pred=NULL,

```

```

burnin=1000, mcmc=1000, thin=5,
beta.start=0,
gamma.start=0,
mubeta=0, Vbeta=1.0E6,
mugamma=0, Vgamma=1.0E6,
seed=1234, verbose=1,
save.p=0)

#=====
#== Outputs
pdf(file="Posteriors_hSDM.ZIB.pdf")
plot(mod.hSDM.ZIB$mcmc)
dev.off()
summary(mod.hSDM.ZIB$prob.p.latent)
summary(mod.hSDM.ZIB$prob.q.latent)
summary(mod.hSDM.ZIB$prob.p.pred)

## End(Not run)

```

hSDM.ZIB.iCAR

ZIB (Zero-Inflated Binomial) model with CAR process

Description

The hSDM.ZIB.iCAR function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.ZIB.iCAR(presences, trials, suitability,
observability, spatial.entity, data, n.neighbors, neighbors,
suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
= 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
0, save.p = 0)

```

Arguments

presences A vector indicating the number of successes (or presences) for each observation.

<code>trials</code>	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
<code>observability</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
<code>spatial.entity</code>	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
<code>data</code>	A data frame containing the model's variables.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p-length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i \gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIB.iCAR()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
```

```

d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "observability" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta.1 <- vector()
for (n in 1:nobs) {
  logit.theta.1[n] <- X[n,]%*%beta.target+rho[cells[n]]
}
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation

```

```

trials[trials==0] <- 1
logit.theta.2 <- W*%gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs, trials, theta.2)

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y, trials, cells, X1, X2)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y, trials, cells, X1, X2, W1, W2)
Data <- SpatialPointsDataFrame(coords=coords, data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell, X2=X2.cell, cells=c(1:ncell))

#=====
#== Site-occupancy model

mod.hSDM.ZIB.iCAR <- hSDM.ZIB.iCAR(presences=Data$Y,
                                trials=Data$trials,
                                suitability=~X1+X2,
                                observability=~1,
                                spatial.entity=Data$cells,
                                data=Data,
                                n.neighbors=n.neighbors,
                                neighbors=adj,
                                ## suitability.pred=NULL,
                                ## spatial.entity.pred=NULL,
                                suitability.pred=Data.pred,
                                spatial.entity.pred=Data.pred$cells,
                                burnin=5000, mcmc=5000, thin=5,
                                beta.start=0,
                                gamma.start=0,
                                Vrho.start=10,
                                priorVrho="1/Gamma",
                                #priorVrho="Uniform",
                                #priorVrho=10,
                                mubeta=0, Vbeta=1.0E6,
                                mugamma=0, Vgamma=1.0E6,
                                shape=0.5, rate=0.0005,
                                #Vrho.max=1000,
                                seed=1234, verbose=1,
                                save.rho=1, save.p=0)

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.ZIB.iCAR$mcmc)

```

```

# MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIB.iCAR.pdf")
plot(mod.hSDM.ZIB.iCAR$mcmc)
dev.off()

pdf(file="Posteriors_rho_hSDM.ZIB.iCAR.pdf")
plot(mod.hSDM.ZIB.iCAR$rho.pred)
dev.off()

# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIB.iCAR$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- 1
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIB.iCAR$prob.p.pred

pdf(file="Summary_hSDM.ZIB.iCAR.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and presences")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Proba of presence")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

hSDM.ZIB.iCAR.alteration

ZIB (Zero-Inflated Binomial) model with CAR process taking into account site alteration

Description

The hSDM.ZIB.iCAR.alteration function can be used to model species distribution including different processes in a hierarchical Bayesian framework: (i) a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, (ii) an alteration process (referring to anthropogenic disturbances), and (iii) a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB.iCAR.alteration function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIB.iCAR.alteration(presences, trials, suitability,
observability, spatial.entity, alteration, data, n.neighbors, neighbors,
suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
= 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
0, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
alteration	A vector indicating the proportion of area in the spatial cell which is transformed (by anthropogenic activities for example) for each observation. Must be between 0 and 1.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the neighbors vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.

spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector spatial.entity for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.

verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.

prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIB.iCAR.alteration()
# Example with simulated data
#####

#####
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234
```

```

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(notvisited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)

```

```

X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Alteration
U <- runif(n=nobs,min=0,max=1)

# Covariates for "observability" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta.1 <- vector()
for (n in 1:nobs) {
  logit.theta.1[n] <- X[n,]%*%beta.target+rho[cells[n]]
}
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Alteration
u <- rbinom(nobs,1,U)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation
trials[trials==0] <- 1
logit.theta.2 <- W*%gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs,trials,theta.2)

#== Simulating response variable
Y <- y.2*(1-u)*y.1

#== Data-set
Data <- data.frame(Y,trials,cells,X1,X2,U)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,trials,cells,X1,X2,W1,W2,U)
Data <- SpatialPointsDataFrame(coords=coords,data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell,X2=X2.cell,cells=c(1:ncell))

#=====

```

```

#== Site-occupancy model

mod.hSDM.ZIB.iCAR.alteration <- hSDM.ZIB.iCAR.alteration(presences=Data$Y,
  trials=Data$trials,
  suitability=~X1+X2,
  observability=~1,
  spatial.entity=Data$cells,
  alteration=Data$U,
  data=Data,
  n.neighbors=n.neighbors,
  neighbors=adj,
  ## suitability.pred=NULL,
  ## spatial.entity.pred=NULL,
  suitability.pred=Data.pred,
  spatial.entity.pred=Data.pred$cells,
  burnin=5000, mcmc=5000, thin=5,
  beta.start=0,
  gamma.start=0,
  Vrho.start=10,
  priorVrho="1/Gamma",
  #priorVrho="Uniform",
  #priorVrho=10,
  mubeta=0, Vbeta=1.0E6,
  mugamma=0, Vgamma=1.0E6,
  shape=0.5, rate=0.0005,
  #Vrho.max=1000,
  seed=1234, verbose=1,
  save.rho=1, save.p=0)

#=====
#== Outputs

# Parameter estimates
summary(mod.hSDM.ZIB.iCAR.alteration$mcmc)

# MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIB.iCAR.alteration.pdf")
plot(mod.hSDM.ZIB.iCAR.alteration$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIB.iCAR.alteration.pdf")
plot(mod.hSDM.ZIB.iCAR.alteration$rho.pred)
dev.off()

# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIB.iCAR.alteration$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- 1

```

```

# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIB.iCAR.alteration$prob.p.pred

pdf(file="Summary_hSDM.ZIB.iCAR.alteration.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and presences")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Proba of presence")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

hSDM.ZIP

ZIP (Zero-Inflated Poisson) model

Description

The hSDM.ZIP function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) and a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The hSDM.ZIP function calls a Gibbs sampler written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.ZIP(counts, suitability, abundance, data,
suitability.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, gamma.start, mubeta = 0, Vbeta = 1e+06, mugamma = 0, Vgamma
= 1e+06, seed = 1234, verbose = 1, save.p = 0)

```

Arguments

counts	A vector indicating the count for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.

abundance	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
data	A data frame containing the model's variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the abundance process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the abundance process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the abundance process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to habitat suitability (habitat is suitable or not for the species) and an abundance process that takes into account ecological variables explaining the species abundance when the habitat is suitable.

Suitability process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Abundance process:

$$y_i \sim \text{Poisson}(z_i * \lambda_i)$$

$$\text{log}(\lambda_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the abundance process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIP()
# Example with simulated data
```

```

#####

#####
#== Preamble
library(hSDM)

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Number of observations
nobs <- 1000

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the abundance process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)

# Covariates for "suitability" process
set.seed(seed)
X1 <- rnorm(n=nobs,0,1)
set.seed(2*seed)
X2 <- rnorm(n=nobs,0,1)
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the abundance process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta <- X %%% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta)

# Abundance
set.seed(seed)
log.lambda <- W %%% gamma.target
lambda <- exp(log.lambda)
set.seed(seed)
y.2 <- rpois(nobs,lambda)

#== Simulating response variable

```

```

Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,X1,X2)
## Uncomment if you want covariates on the abundance process
## Data <- data.frame(Y,X1,X2,W1,W2)

#=====
#== ZIP model

mod.hSDM.ZIP <- hSDM.ZIP(counts=Data$Y,
                        suitability=~X1+X2,
                        abundance=~1, #=~1+W1+W2 if covariates
                        data=Data,
                        suitability.pred=NULL,
                        burnin=1000, mcmc=1000, thin=5,
                        beta.start=0,
                        gamma.start=0,
                        mubeta=0, Vbeta=1.0E6,
                        mugamma=0, Vgamma=1.0E6,
                        seed=1234, verbose=1,
                        save.p=0)

#=====
#== Outputs
pdf(file="Posteriors_hSDM.ZIP.pdf")
plot(mod.hSDM.ZIP$mcmc)
dev.off()
summary(mod.hSDM.ZIP$prob.p.latent)
summary(mod.hSDM.ZIP$prob.q.latent)
summary(mod.hSDM.ZIP$prob.p.pred)

## End(Not run)

```

hSDM.ZIP.iCAR

ZIP (Zero-Inflated Poisson) model with CAR process

Description

The hSDM.ZIP.iCAR function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) which takes into account the spatial dependence of the observations, and a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The hSDM.ZIP.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIP.iCAR(counts, suitability, abundance, spatial.entity,
data, n.neighbors, neighbors, suitability.pred=NULL,
spatial.entity.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta = 1e+06, mugamma
= 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape = 0.5, rate = 0.0005,
Vrho.max=1000, seed = 1234, verbose = 1, save.rho = 0, save.p = 0)
```

Arguments

counts	A vector indicating the count for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
abundance	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.

mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p-length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to habitat suitability (habitat is suitable or not for the species) and an abundance process that takes into account ecological variables explaining the species abundance when the habitat is suitable. The suitability process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between

observations, assuming that the suitability at one site depends on the suitability on neighboring sites.

Suitability process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Abundance process:

$$y_i \sim \text{Poisson}(z_i * \lambda_i)$$

$$\log(\lambda_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIP.iCAR()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]
```

```

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability

```



```

#####
#== Outputs

# Parameter estimates
summary(mod.hSDM.ZIP.iCAR$mcmc)

# MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIP.iCAR.pdf")
plot(mod.hSDM.ZIP.iCAR$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIP.iCAR.pdf")
plot(mod.hSDM.ZIP.iCAR$rho.pred)
dev.off()

# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIP.iCAR$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- tapply(Data$Y,Data$cells,mean)
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIP.iCAR$prob.p.pred

pdf(file="Summary_hSDM.ZIP.iCAR.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Predicted counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

hSDM.ZIP.iCAR.alteration

ZIP (Zero-Inflated Poisson) model with CAR process taking into account site alteration

Description

The `hSDM.ZIP.iCAR.alteration` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: (i) a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) which takes into account the spatial dependence of the observations, (ii) an alteration process (referring to anthropogenic disturbances), and (iii) a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The `hSDM.ZIP.iCAR.alteration` function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIP.iCAR.alteration(counts, suitability, abundance,
  spatial.entity, alteration, data, n.neighbors, neighbors,
  suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
  10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
  = 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
  0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
  0, save.p = 0)
```

Arguments

<code>counts</code>	A vector indicating the count for each observation.
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
<code>abundance</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
<code>spatial.entity</code>	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
<code>alteration</code>	A vector indicating the proportion of area in the spatial cell which is transformed (by anthropogenic activities for example) for each observation. Must be between 0 and 1.
<code>data</code>	A data frame containing the model's variables.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .

suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector spatial.entity for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.

seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
------	--

rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIP.iCAR.alteration()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
```

```

#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process

```

```

set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Alteration
U <- runif(n=nobs,min=0,max=1)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta <- vector()
for (n in 1:nobs) {
  logit.theta[n] <- X[n,]*beta.target+rho[cells[n]]
}
theta <- inv.logit(logit.theta)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta)

# Alteration
u <- rbinom(nobs,1,U)

# Abundance
set.seed(seed)
log.lambda <- W %*% gamma.target
lambda <- exp(log.lambda)
set.seed(seed)
y.2 <- rpois(nobs,lambda)

#== Simulating response variable
Y <- y.2*(1-u)+y.1

#== Data-set
Data <- data.frame(Y,cells,X1,X2,U)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,cells,X1,X2,W1,W2,U)
Data <- SpatialPointsDataFrame(coords=coords,data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell,X2=X2.cell,cells=c(1:ncell))

```

```

#=====
#== Site-occupancy model

mod.hSDM.ZIP.iCAR.alteration <- hSDM.ZIP.iCAR.alteration(counts=Data$Y,
                                                         suitability=~X1+X2,
                                                         abundance=~1,
                                                         spatial.entity=Data$cells,
                                                         alteration=Data$U,
                                                         data=Data,
                                                         n.neighbors=n.neighbors,
                                                         neighbors=adj,
                                                         ## suitability.pred=NULL,
                                                         ## spatial.entity.pred=NULL,
                                                         suitability.pred=Data.pred,
                                                         spatial.entity.pred=Data.pred$cells,
                                                         burnin=5000, mcmc=5000, thin=5,
                                                         beta.start=0,
                                                         gamma.start=0,
                                                         Vrho.start=10,
                                                         priorVrho="1/Gamma",
                                                         #priorVrho="Uniform",
                                                         #priorVrho=10,
                                                         mubeta=0, Vbeta=1.0E6,
                                                         mugamma=0, Vgamma=1.0E6,
                                                         shape=0.5, rate=0.0005,
                                                         #Vrho.max=1000,
                                                         seed=1234, verbose=1,
                                                         save.rho=1, save.p=0)

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.ZIP.iCAR.alteration$mcmc)

#= MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIP.iCAR.alteration.pdf")
plot(mod.hSDM.ZIP.iCAR.alteration$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIP.iCAR.alteration.pdf")
plot(mod.hSDM.ZIP.iCAR.alteration$rho.pred)
dev.off()

#= Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIP.iCAR.alteration$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0

```

```

r.visited[visited.cells] <- tapply(Data$Y,Data$cells,mean)
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIP.iCAR.alteration$prob.p.pred

pdf(file="Summary_hSDM.ZIP.iCAR.alteration.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Predicted counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

logit

Generalized logit and inverse logit function

Description

Compute generalized logit and generalized inverse logit functions.

Usage

```

logit(x, min = 0, max = 1)
inv.logit(x, min = 0, max = 1)

```

Arguments

x	value(s) to be transformed
min	Lower end of logit interval
max	Upper end of logit interval

Details

The generalized logit function takes values on [min, max] and transforms them to span [-Inf,Inf] it is defined as:

$$y = \log\left(\frac{p}{1-p}\right)$$

where

$$p = \frac{(x - \text{min})}{(\text{max} - \text{min})}$$

The generalized inverse logit function provides the inverse transformation:

$$x = p'(\text{max} - \text{min}) + \text{min}$$

where

$$p' = \frac{\exp(y)}{(1 + \exp(y))}$$

Value

Transformed value(s).

Author(s)

Gregory R. Warnes <greg@warnes.net>

Examples

```
## Not run:
x <- seq(0,10, by=0.25)
xt <- logit(x, min=0, max=10)
cbind(x,xt)

y <- inv.logit(xt, min=0, max=10)
cbind(x,xt,y)

## End(Not run)
```

neighbors.Latimer2006 *Neighborhood data (from Latimer et al. 2006)*

Description

Data come from a small region including 476 one minute by one minute grid cells. This region is a small corner of South Africa's Cape Floristic Region, and includes very high plant species diversity and a World Biosphere Reserve. The data frame can be used as an example for several functions in the hSDM package.

Usage

```
neighbors.Latimer2006
```

Format

neighbors.Latimer2006 is a vector of 3542 integers indicating the neighbors (adjacent cells) of each spatial cell. The vector is of the form c(neighbors of cell 1, neighbors of cell 2, ... , neighbors of the last cell).

Source

Latimer et al. (2006) *Ecological Applications*, Appendix B

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

punc10

Occurrence data for Protea punctata Meisn. in the Cap Floristic Region

Description

The species data were collected by the Protea Atlas Project of South Africa's National Botanical Institute.

Usage

punc10

Format

cfr.env is a data frame with 2934 presence-absence observation points.

Occurrence presence (1) or absence (0) of the species

lon longitude

lat latitude

Source

Cory Merow's personal data

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

Index

- * **Binomial logistic regression**
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
- * **MCMC**
 - hSDM-package, 2
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
 - hSDM.poisson, 37
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc, 47
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP, 79
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **Markov Chains Monte Carlo**
 - hSDM-package, 2
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
 - hSDM.poisson, 37
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc, 47
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP, 79
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **Metropolis algorithm**
 - hSDM-package, 2
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
 - hSDM.poisson, 37
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc, 47
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP, 79
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **N-mixture models**
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
- * **Poisson log regression**
 - hSDM.poisson.iCAR, 40
- * **Poisson regression**
 - hSDM.poisson, 37
- * **ZIB models**
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP.iCAR.alteration, 91
- * **ZIP models**
 - hSDM.ZIP, 79
 - hSDM.ZIP.iCAR, 83
- * **Zero-Inflated Binomial models**
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP.iCAR.alteration, 91
- * **Zero-Inflated Poisson models**
 - hSDM.ZIP.iCAR, 83
- * **biodiversity**

- hSDM-package, 2
- hSDM.binomial, 8
- hSDM.binomial.iCAR, 11
- hSDM.Nmixture, 18
- hSDM.Nmixture.iCAR, 23
- hSDM.Nmixture.K, 32
- hSDM.poisson, 37
- hSDM.poisson.iCAR, 40
- hSDM.siteocc, 47
- hSDM.siteocc.iCAR, 51
- hSDM.ZIB, 60
- hSDM.ZIB.iCAR, 64
- hSDM.ZIB.iCAR.alteration, 71
- hSDM.ZIP, 79
- hSDM.ZIP.iCAR, 83
- hSDM.ZIP.iCAR.alteration, 91
- * **conditional autoregressive model**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture.iCAR, 23
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **datasets**
 - altitude, 3
 - cfr.env, 4
 - data.Kery2010, 5
 - datacells.Latimer2006, 6
 - frogs, 7
 - neighbors.Latimer2006, 99
 - punc10, 100
- * **hierarchical Bayesian models**
 - hSDM-package, 2
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
 - hSDM.poisson, 37
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc, 47
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
- hSDM.ZIP, 79
- hSDM.ZIP.iCAR, 83
- hSDM.ZIP.iCAR.alteration, 91
- * **intrinsic CAR model**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture.iCAR, 23
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **math**
 - logit, 98
- * **site occupancy models**
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **site-occupancy models**
 - hSDM.siteocc, 47
- * **spatial correlation**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture.iCAR, 23
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91
- * **species distribution models**
 - hSDM-package, 2
 - hSDM.binomial, 8
 - hSDM.binomial.iCAR, 11
 - hSDM.Nmixture, 18
 - hSDM.Nmixture.iCAR, 23
 - hSDM.Nmixture.K, 32
 - hSDM.poisson, 37
 - hSDM.poisson.iCAR, 40
 - hSDM.siteocc, 47
 - hSDM.siteocc.iCAR, 51
 - hSDM.ZIB, 60
 - hSDM.ZIB.iCAR, 64
 - hSDM.ZIB.iCAR.alteration, 71
 - hSDM.ZIP, 79
 - hSDM.ZIP.iCAR, 83
 - hSDM.ZIP.iCAR.alteration, 91

altitude, 3

cfr.env, 4

data.Kery2010, 5

datacells.Latimer2006, 6

frogs, 7

hSDM (hSDM-package), 2

hSDM-package, 2

hSDM.binomial, 8

hSDM.binomial.iCAR, 11

hSDM.Nmixture, 18

hSDM.Nmixture.iCAR, 23

hSDM.Nmixture.K, 32

hSDM.poisson, 37

hSDM.poisson.iCAR, 40

hSDM.siteocc, 47

hSDM.siteocc.iCAR, 51

hSDM.ZIB, 60

hSDM.ZIB.iCAR, 64

hSDM.ZIB.iCAR.alteration, 71

hSDM.ZIP, 79

hSDM.ZIP.iCAR, 83

hSDM.ZIP.iCAR.alteration, 90

inv.logit (logit), 98

logit, 98

neighbors.Latimer2006, 99

plot.mcmc, 10, 14, 21, 27, 35, 39, 43, 49, 56,
62, 68, 75, 81, 87, 94

punc10, 100

summary.mcmc, 10, 14, 21, 27, 35, 39, 43, 49,
56, 62, 68, 75, 81, 87, 94