

# Package ‘mhurdle’

October 13, 2022

**Version** 1.3-0

**Date** 2021-12-09

**Title** Multiple Hurdle Tobit Models

**Depends** R (>= 2.10)

**Imports** Formula, truncreg, maxLik, survival, Rdpack, prediction,  
margins, generics, numDeriv

**Suggests** knitr, rmarkdown, lmtest, xtable, bookdown, texreg, testthat

**Description** Estimation of models with zero left-censored variables.

Null values may be caused by a selection process

Cragg (1971) <[doi:10.2307/1909582](https://doi.org/10.2307/1909582)>, insufficient resources

Tobin (1958) <[doi:10.2307/1907382](https://doi.org/10.2307/1907382)> or infrequency of purchase

Deaton and Irish (1984) <[doi:10.1016/0047-2727\(84\)90067-7](https://doi.org/10.1016/0047-2727(84)90067-7)>.

**VignetteBuilder** knitr

**NeedsCompilation** yes

**License** GPL (>= 2)

**Encoding** UTF-8

**URL** <https://www.R-project.org>

**RoxygenNote** 7.1.2

**RdMacros** Rdpack

**Author** Yves Croissant [aut, cre] (<<https://orcid.org/0000-0002-4857-7736>>),

Fabrizio Carlevaro [aut],

Stephane Hoareau [aut]

**Maintainer** Yves Croissant <yves.croissant@univ-reunion.fr>

**Repository** CRAN

**Date/Publication** 2021-12-10 12:20:02 UTC

## R topics documented:

broom . . . . .	2
Interview . . . . .	3

mhurdle . . . . .	4
mhurdle.methods . . . . .	6
ndvuongtest . . . . .	9
prediction_margins . . . . .	10
rsq . . . . .	11
vuongtest . . . . .	12
<b>Index</b>	<b>14</b>

---

broom	<i>broom's methods</i>
-------	------------------------

---

## Description

Methods to compute extract in a tidy way the elements of a fitted model

## Usage

```
## S3 method for class 'mhurdle'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'mhurdle'
glance(x, ...)
```

## Arguments

`x` a model fitted with `mhurdle`  
`conf.int`, `conf.level` current see `generics::tidy` (currently unused)  
`...` further arguments, currently unused

## Details

`mhurdle` exports the `generics::tidy` and `generics::glance` functions. The specific method provided for `mhurdle` objects enables the use of some package that relies on these functions (`modelsummary` for example)

---

 Interview

---

*Interview*


---

### Description

a cross section from 2014

### Format

A dataframe containing :

**month** the month of the interview,

**size** the number of person in the household,

**cu** the number of consumption units in the household,

**income** the income of the household for the 12 month before the interview,

**linc** the logarithme of the net income per consumption unit divided by its mean,

**linc2** the square of link,

**smsa** does the household live in a SMSA (yes or no),

**sex** the sex of the reference person of the household (male and female),

**race** the race of the head of the household, one of white, black, indian, asian, pacific and multirace,

**hispanic** is the reference person of the household is hispanic (no or yes),

**educ** the number of year of education of the reference person of the household,

**age** the age of the reference person of the household - 50,

**age2** the square of age

**car** cars in the household,

**food** food,

**alcohol** ,

**housing** ,

**apparel** ,

**transport** ,

**health** ,

**entertainment** ,

**perscare** ,

**reading** ,

**education** ,

**tobacco** ,

**miscexp** ,

**cashcont** ,

**insurance** ,

**shows** ,

**foodaway** ,

**vacations** .

**Details**

*number of observations* : 1000

*observation* : households

*country* : United-States

**Source**

Consumer Expenditure Survey (CE), program of the US Bureau of Labor Statistics <https://www.bls.gov/cex/>, interview survey.

---

mhurdle

*Estimation of limited dependent variable models*

---

**Description**

mhurdle fits a large set of models relevant when the dependent variable is 0 for a part of the sample.

**Usage**

```
mhurdle(  
  formula,  
  data,  
  subset,  
  weights,  
  na.action,  
  start = NULL,  
  dist = c("ln", "n", "bc", "ihs"),  
  h2 = FALSE,  
  scaled = TRUE,  
  corr = FALSE,  
  robust = TRUE,  
  check_gradient = FALSE,  
  ...  
)
```

**Arguments**

formula	a symbolic description of the model to be fitted,
data	a data.frame,
subset	see <code>stats::lm()</code> ,
weights	see <code>stats::lm()</code> ,
na.action	see <code>stats::lm()</code> ,
start	starting values,

dist	the distribution of the error of the consumption equation: one of "n" (normal), "ln" (log-normal) "bc" (box-cox normal) and "ihs" (inverse hyperbolic sinus transformation),
h2	if TRUE the second hurdle is effective, it is not otherwise,
scaled	if TRUE, the dependent variable is divided by its geometric mean,
corr	a boolean indicating whether the errors of the different equations are correlated or not,
robust	transformation of the structural parameters in order to avoid numerical problems,
check_gradient	if TRUE, a matrix containing the analytical and the numerical gradient for the starting values are returned,
...	further arguments.

## Details

mhurdle fits models for which the dependent variable is zero for a part of the sample. Null values of the dependent variable may occurs because of one or several mechanisms : good rejection, lack of ressources and purchase infrequency. The model is described using a three-parts formula : the first part describes the selection process if any, the second part the regression equation and the third part the purchase infrequency process.  $y \sim 0 \mid x_1 + x_2 \mid z_1 + z_2$  means that there is no selection process.  $y \sim w_1 + w_2 \mid x_1 + x_2 \mid 0$  and  $y \sim w_1 + w_2 \mid x_1 + x_2$  describe the same model with no purchase infrequency process. The second part is mandatory, it explains the positive values of the dependant variable. The dist argument indicates the distribution of the error term. If dist = "n", the error term is normal and (at least part of) the zero observations are also explained by the second part as the result of a corner solution. Several models described in the litterature are obtained as special cases :

A model with a formula like  $y \sim 0 \mid x_1 + x_2$  and dist="n" is the Tobit model proposed by (Tobin 1958).

$y \sim w_1 + w_2 \mid x_1 + x_2$  and dist="1" or dist="t" is the single hurdle model proposed by (Cragg 1971). With dist="n", the double hurdle model also proposed by (Cragg 1971) is obtained. With corr="h1" we get the correlated version of this model described by (Blundell and Meghir 1987).

$y \sim 0 \mid x_1 + x_2 \mid z_1 + z_2$  is the P-Tobit model of (Deaton and Irish 1984), which can be a single hurdle model if dist="t" or dist="1" or a double hurdle model if dist="n".

## Value

#' an object of class c("mhurdle", "maxLik").

A mhurdle object has the following elements :

- coefficients: the vector of coefficients,
- vcov: the covariance matrix of the coefficients,
- fitted.values: a matrix of fitted.values, the first column being the probability of 0 and the second one the mean values for the positive observations,
- logLik: the log-likelihood,
- gradient: the gradient at convergence,

- model: a data.frame containing the variables used for the estimation,
- coef.names: a list containing the names of the coefficients in the selection equation, the regression equation, the infrequency of purchase equation and the other coefficients (the standard deviation of the error term and the coefficient of correlation if corr = TRUE,
- formula: the model formula, an object of class Formula
- call: the call,
- rho: the lagrange multiplier test of no correlation.

## References

Blundell R, Meghir C (1987). "Bivariate Alternatives to the Tobit Model." *Journal of Econometrics*, **34**, 179-200.

Cragg JG (1971). "Some Statistical Models for Limited Dependent Variables with Applications for the Demand for Durable Goods." *Econometrica*, **39**(5), 829-44.

Deaton AS, Irish M (1984). "A Statistical Model for Zero Expenditures in Household Budgets." *Journal of Public Economics*, **23**, 59-80.

Tobin J (1958). "Estimation of Relationships for Limited Dependent Variables." *Econometrica*, **26**(1), 24-36.

## Examples

```
data("Interview", package = "mhurdle")

# independent double hurdle model
idhm <- mhurdle(vacations ~ car + size | linc + linc2 | 0, Interview,
               dist = "ln", h2 = TRUE, method = "bfgs")

# dependent double hurdle model
ddhm <- mhurdle(vacations ~ car + size | linc + linc2 | 0, Interview,
               dist = "ln", h2 = TRUE, method = "bfgs", corr = TRUE)

# a double hurdle p-tobit model
ptm <- mhurdle(vacations ~ 0 | linc + linc2 | car + size, Interview,
               dist = "ln", h2 = TRUE, method = "bfgs", corr = TRUE)
```

---

mhurdle.methods

*Methods for mhurdle fitted objects*

---

## Description

specific predict, fitted, coef, vcov, summary, ... for mhurdle objects. In particular, these methods enables to extract the several parts of the model

**Usage**

```
## S3 method for class 'mhurdle'
coef(
  object,
  which = c("all", "h1", "h2", "h3", "h4", "sd", "corr", "tr", "pos"),
  ...
)

## S3 method for class 'mhurdle'
vcov(
  object,
  which = c("all", "h1", "h2", "h3", "h4", "sd", "corr", "tr", "pos"),
  ...
)

## S3 method for class 'mhurdle'
logLik(object, naive = FALSE, ...)

## S3 method for class 'mhurdle'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)

## S3 method for class 'mhurdle'
summary(object, ...)

## S3 method for class 'summary.mhurdle'
coef(
  object,
  which = c("all", "h1", "h2", "h3", "sd", "corr", "tr", "pos"),
  ...
)

## S3 method for class 'summary.mhurdle'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)

## S3 method for class 'mhurdle'
fitted(object, which = c("all", "zero", "positive"), mean = FALSE, ...)

## S3 method for class 'mhurdle'
```

```

predict(object, newdata = NULL, what = c("E", "Ep", "p"), ...)

## S3 method for class 'mhurdle'
update(object, new, ...)

## S3 method for class 'mhurdle'
nobs(object, which = c("all", "null", "positive"), ...)

## S3 method for class 'mhurdle'
effects(
  object,
  covariate = NULL,
  data = NULL,
  what = c("E", "Ep", "p"),
  refllevel = NULL,
  mean = FALSE,
  ...
)

```

### Arguments

object, x	an object of class "mhurdle",
which	which coefficients or covariances should be extracted ? Those of the selection ("h1"), consumption ("h2") or purchase ("h3") equation, the other coefficients "other" (the standard error and the coefficient of corr), the standard error ("sigma") or the coefficient of correlation ("rho"),
...	further arguments.
naive	a boolean, if TRUE, the likelihood of the naive model is returned,
digits	see <a href="#">print</a> ,
width	see <a href="#">print</a> ,
mean	if TRUE, the mean of the effects is returned,
newdata, data	a data.frame for which the predictions or the effects should be computed,
what	for the predict and the effects method, the kind of prediction, one of E Ep and p (respectively for expected values in the censored sample, expected values in the truncated sample and probability of positive values),
new	an updated formula for the update method,
covariate	the covariate for which the effect has to be computed,
reflevel	for the computation of effects for a factor, the reference level,



---

`ndvuongtest`*Vuong test for non-nested models*

---

**Description**

The Vuong test is suitable to discriminate between two non-nested models.

**Usage**

```
ndvuongtest(  
  x,  
  y,  
  size = 0.05,  
  pval = TRUE,  
  type = c("non-nested", "nested", "overlapping"),  
  ndraws = 10000,  
  diffnorm = 0.1,  
  seed = 1,  
  print.level = 0  
)
```

**Arguments**

<code>x</code>	a first fitted model of class "mhurdle",
<code>y</code>	a second fitted model of class "mhurdle",
<code>size</code>	the size of the test,
<code>pval</code>	should the p-value be computed ?
<code>type</code>	the kind of test to be computed,
<code>ndraws</code>	the number of draws for the simulations,
<code>diffnorm</code>	a creuser,
<code>seed</code>	the seed,
<code>print.level</code>	the level of details to be printed.

**Value**

an object of class "htest"

**References**

Vuong Q.H. (1989) Likelihood ratio tests for model selection and non-nested hypothesis, *Econometrica*, vol.57(2), pp.307-33.

**See Also**

vuong in package pscl.

## Examples

```
data("Interview", package = "mhurdle")
# dependent double hurdle model
dhm <- mhurdle(vacations ~ car + size | linc + linc2 | 0, Interview,
               dist = "ln", h2 = TRUE, method = "bhhh", corr = TRUE)

# a double hurdle p-tobit model
ptm <- mhurdle(vacations ~ 0 | linc + linc2 | car + size, Interview,
               dist = "ln", h2 = TRUE, method = "bhhh", corr = TRUE)
vuongtest(dhm, ptm)
```

---

prediction\_margins      *prediction methods*

---

## Description

Methods to compute the predictions and the marginal effects for tobit1 objects

## Usage

```
## S3 method for class 'mhurdle'
prediction(
  model,
  data = find_data(model, parent.frame()),
  at = NULL,
  what = c("E", "Ep", "p"),
  vcov = stats::vcov(model),
  calculate_se = FALSE,
  ...
)
```

## Arguments

model	a model fitted using mhurdle
data, at, vcov, calculate_se	see prediction::prediction
what	see mhurdle::predict.mhurdle
...	further arguments, especially, a what argument can be provided and will be passed to predict

## Details

tobit1 exports the prediction::prediction and margins::margins functions. prediction use the predict method to compute the predictions in a "tidy way", it returns the data frame provided for the predictions augmented by the predictions. margins compute the average marginal effect of every covariate. It uses the numerical derivatives of the predictions using the prediction function.

---

rsq	<i>R squared and pseudo R squared</i>
-----	---------------------------------------

---

### Description

This function computes the R squared for multiple hurdle models. The measure is a pseudo coefficient of determination or may be based on the likelihood.

### Usage

```
rsq(
  object,
  type = c("coefdet", "lratio"),
  adj = FALSE,
  r2pos = c("rss", "ess", "cor")
)
```

### Arguments

object	an object of class "mhurdle",
type	one of "coefdet" or "lratio" to select a pseudo coefficient of correlation or a Mc Fadden like measure based on the likelihood function,
adj	if TRUE a correction for the degrees of freedom is performed,
r2pos	only for pseudo coefficient of determination, should the positive part of the R squared be computed using the residual sum of squares ("rss"), the explained sum of squares ("ess") or the coefficient of correlation between the fitted values and the response (cor).

### Value

a numerical value

### References

McFadden D (1974). The Measurement of Urban Travel Demand. *Journal of Public Economics*, 3, 303-328.

### Examples

```
data("Interview", package = "mhurdle")
# independent double hurdle model
idhm <- mhurdle(vacations ~ car + size | linc + linc2 | 0, Interview,
               dist = "ln", h2 = TRUE, method = "bfgs")
rsq(idhm, type = "lratio")
rsq(idhm, type = "coefdet", r2pos = "rss")
```

---

`vuongtest`*Vuong test for non-nested models*

---

### Description

The Vuong test is suitable to discriminate between two non-nested models.

### Usage

```
vuongtest(  
  x,  
  y,  
  type = c("non-nested", "nested", "overlapping"),  
  hyp = FALSE,  
  variance = c("centered", "uncentered"),  
  matrix = c("large", "reduced")  
)
```

### Arguments

<code>x</code>	a first fitted model of class "mhurdle",
<code>y</code>	a second fitted model of class "mhurdle",
<code>type</code>	the kind of test to be computed,
<code>hyp</code>	a boolean, TRUE if one of the models is assumed to be the true model,
<code>variance</code>	the variance is estimated using the centered or uncentered expression,
<code>matrix</code>	the W matrix can be computed using the general expression large or the reduced matrix reduced (only relevant for the nested case),

### Value

an object of class "htest"

### References

Vuong Q.H. (1989) Likelihood ratio tests for model selection and non-nested hypothesis, *Econometrica*, vol.57(2), pp.307-33.

### See Also

`vuong` in package `pscl`.

**Examples**

```
data("Interview", package = "mhurdle")
# dependent double hurdle model
dhm <- mhurdle(vacations ~ car + size | linc + linc2 | 0, Interview,
               dist = "ln", h2 = TRUE, method = "bhhh", corr = TRUE)

# a double hurdle p-tobit model
ptm <- mhurdle(vacations ~ 0 | linc + linc2 | car + size, Interview,
               dist = "ln", h2 = TRUE, method = "bhhh", corr = TRUE)
vuongtest(dhm, ptm)
```

# Index

- \* **datasets**
  - Interview, 3
- \* **htest**
  - ndvuongtest, 9
  - rsq, 11
  - vuongtest, 12
- \* **regression**
  - mhurdle, 4

broom, 2

coef.mhurdle (mhurdle.methods), 6

coef.summary.mhurdle (mhurdle.methods), 6

effects.mhurdle (mhurdle.methods), 6

fitted.mhurdle (mhurdle.methods), 6

glance.mhurdle (broom), 2

Interview, 3

logLik.mhurdle (mhurdle.methods), 6

mhurdle, 4

mhurdle.methods, 6

ndvuongtest, 9

nobs.mhurdle (mhurdle.methods), 6

predict.mhurdle (mhurdle.methods), 6

prediction.mhurdle

- (prediction\_margins), 10

prediction\_margins, 10

print, 8

print.mhurdle (mhurdle.methods), 6

print.summary.mhurdle

- (mhurdle.methods), 6

rsq, 11

stats::lm(), 4

summary.mhurdle (mhurdle.methods), 6

tidy.mhurdle (broom), 2

update.mhurdle (mhurdle.methods), 6

vcov.mhurdle (mhurdle.methods), 6

vuongtest, 12